



Philips Automotive

Catalog 2013

PHILIPS

sense and simplicity

Welcome to

Philips Automotive Catalog 2013

Philips Automotive, a business unit of Royal Philips Electronics, is the world's leading supplier of lamps to the automotive industry and aftermarket. Our products enhance the safety and comfort of the world they illuminate. Combining **technical innovation** with a genuine concern for the **safety** and **driving comfort** of drivers who benefit from our products, Philips is a top-tier supplier to all major automakers. Today, one in two cars worldwide is fitted with a Philips Automotive product. Philips Automotive is dedicated to providing **best-in-class products** and **services** in the aftermarket and original equipment manufacturer market. We are committed to providing the **highest quality** standards while maintaining the **sustainability** of our business.

Philips quality and innovation: our key to success

Welcome to the Philips Automotive Catalog 2013. Its revamped version offers a quick and simple access to information about all our innovative and OE quality products.

Everything you need to make the right choice!


2012-2013 is loaded with innovations you will appreciate.

Discover the brand new Philips **Xenon** range. Check out the **Xenon X-tremeVision** with up to **50% more light** (compared to a standard xenon lamp), simply brighter than ever. **Philips LED DaylightGuide**, our new Daytime Running Light solution, will surprise you with its innovative Lightguide technology and special lens that offers an ultra-wide beam that will not pass by unseen.

Our new **LED inspection lamps** range has been completed with two powerful products you've been waiting for in your garage or shop.

Look for the **LED Penlight Premium**, the ultra-powerful rechargeable handlight and the innovative modular **Multidirectional lighting system**.

Our successful LED BikeLight family is also growing. Discover the **ActiveRide LED BikeLight** and its handy accessories.



Philips is the choice of all major car manufacturers

Since 1914, Philips has led the automotive lighting industry with the reputation for high quality, safety, and innovation. Today, Philips equips 1 out of 2 cars in Europe with its innovative lighting solutions.

Philips high manufacturing standards

Our high-quality lighting is powerful and reliable, thanks to its innovative composition and precision engineering. Our production is meticulously controlled and certified ISO 9001, ISO 14001 and QSO 9000 to the highest ECE standards.

Philips UV quartz-glass technology

Quartz glass is stronger than hard glass. It allows for higher pressure and thus more powerful light. It is naturally resistant to sudden changes in surface temperature, avoiding the risk of explosion. The special anti-UV coating protects your headlights against harmful UV-radiation. This makes Philips UV-quartz glass lamps perfect for all driving conditions and ensures their longevity.



Visit our website
www.philips.com/automotive

Table of contents

Introduction	2
Daytime Running Light solutions	6
7 > LED DayLight 4 / LED Daytime Lights / LED DayLight 8 / LED DaylightGuide LED DayLight mounting frames / LED MasterLife DayLight 8	
LED interior lighting	12
13 > X-tremeVision LED 4 000 K / 6 000 K / 6 700 K	
Xenon lighting	17
19 > Xenon Vision / Xenon BlueVision ultra / Xenon X-tremeVision	
12V Car lighting	23
25 > Vision / VisionPlus / X-tremeVision / LongLife EcoVision / BlueVision ultra 30 > Headlighting 34 > Signaling and interior lighting / Spare kits	
24V Bus and Truck lighting	45
46 > MasterDuty / MasterLife / MasterDuty BlueVision 49 > Headlighting 50 > Signaling and interior lighting / Spare kits	
12V Two-wheeler lighting	57
59 > Vision Moto / CityVision Moto / X-tremeVision Moto / BlueVision Moto 62 > Headlighting 63 > Signaling	
LED bike lighting	64
65 > SafeRide LED BikeLight / ActiveRide LED BikeLight / LED RearLights	
LED inspection lamps	71
72 > Penlight / Penlight Premium / Multivoltage LED inspection lamp Rechargeable LED inspection lamp with docking station / Multidirectional lighting system	
Information	76
76 > Packaging / Sales tools 83 > Product index	

Care how you drive

Our breakthrough use of LEDs and our new xenon range means **more light** and **less energy**. Our goal is to minimize environmental damage in everything we do. We produce **reliable, longer-lasting** products that reduce waste, in compliance with the EU Waste Electrical and Electronic Equipment Directive (WEEE). We lead the lighting industry in reducing the amount of hazardous material used, going beyond the EU RoHS requirements for mercury.





Recent Philips Automotive product history



Feel safe, drive safe



Road safety starts with seeing and being seen. Light is fundamental to driving and light is the first and only part of the safety circle that actually helps prevent accidents. Our lighting solutions produce a powerful and precise light projection, with maximum output combined with long-lasting performance. We consistently produce the best, most efficient lighting solutions because we know that our high-quality lighting may one day save your life. Philips new **Xenon X-tremeVision**, offers up to 50% more light (compared to a standard xenon lamp), making it simply brighter than ever. The innovative Philips LED Daytime Running Light solutions are simply a must for today's drivers and will make your drive a safe one.



Your drive is style

Our customers look for performance and innovation, but they also want more style. Automotive lighting became an extension of your unique image and personality, just like your car. With our new **Philips Xenon BlueVision ultra** and its ultra-stylish, distinctive blue effect (up to 6 000 K) our passionate customers find what they have been looking for. The new **Philips LED DaylightGuide**, with its revolutionary lens and innovative Lightguide technology inside, offers a new exclusive design signature.





LED Daytime Running Light solutions



Discover Philips full range of LED Daytime Running Light products, designed to improve driver safety on the road by increasing vehicle visibility both day and night*.

The innovative, easy to install, Philips OE Quality LED Daytime Running Light range, equipped with the latest-generation powerful LUXEON® LEDs, has been completed this year by two new products guaranteed to attract customer attention. To enhance the vehicle visibility in any traffic situation and in all weather conditions, check out the new ultra-powerful **Philips LED DaylightGuide**.

Its revolutionary lens and innovative lightguide technology inside, offers a new **exclusive design signature and wide-angle visibility**.

For maximum simplicity and ease of integration, Philips launches **LED DayLight mounting frames** created exclusively for the most popular European models, starting now with Peugeot 207 and 308 and the Opel Astra H and Opel Corsa D. Philips LED DayLight is now just a click away.

LED Daytime Running Lights are a must for today's safety on the road, and they are stylish too!

*With dimmable LED DayLight 8, LED DaylightGuide, and LED MasterLife DayLight 8

Which Daytime Running Light solution do you need?

Safety

High visibility for maximum safety



LED DayLight 4




Low-beam LED DayLight 4



Carpark compatibility ★★★★★

Ease of installation ★★★★★

Designed for safety



LED Daytime Lights




Low-beam LED Daytime Lights



Carpark compatibility ★★★★★

Ease of installation ★★★★★

Safety & style

Maximum visibility, premium design



LED DayLight 8




Low-beam LED DayLight 8



Carpark compatibility ★★★★★

Ease of installation ★★★★★

Exclusive design signature, maximum visibility



LED DaylightGuide




Low-beam LED DaylightGuide



Carpark compatibility ★★★★★

Ease of installation ★★★★★





*From 2013 onwards our LED Daylight 4 will also be compatible with hybrid, electric, and Stop&start engine systems.



Visit our Daytime Running Light solutions website
www.led-drl.co.uk

Safety

LED DayLight 4

High visibility
for maximum safety

- > High-power LUXEON® LED
- > Ultra-compact: compatible with most car models
- > Automatic switch-on
- > Simple-click installation



*From 2013 onward our LED Daylight 4 will also be compatible with hybrid, electric, and Stop&start engine systems.

Safety

LED Daytime Lights

Designed for safety

- > High-power LUXEON® LED
- > Automatic switch-on
- > Simple-click installation
- > No maintenance



Style

LED DayLight 8

Maximum visibility, premium design

- > New generation high-power LUXEON® LED
- > Simple-click installation
- > Ultra-slim design: compatible with most car models
- > Stays on day and night (dimmed)



New



Style

LED DaylightGuide

Exclusive design signature, maximum visibility

- > New generation high-power LUXEON® LED
- > Ultra-wide beam
- > Simple-click installation
- > Homologated Lightguide technology: uniform diffusion
- > Gravel-impact resistant, high-quality aluminum housing, water resistant
- > Stays on day and night (dimmed)

Designed for safety

LED DayLight Mounting frames

For use with LED DayLight 4 and LED DayLight 8

For maximum simplicity and ease of integration, Philips introduces LED DayLight mounting frames created exclusively for the most popular European models, starting now with Peugeot 207 and 308 and the Opel Astra H and Opel Corsa D.



LED DayLight Mounting frame for Opel Astra H, compatible with LED DayLight 8



LED DayLight Mounting frame for Peugeot 207, compatible with LED DayLight 4



LED DayLight Mounting frame for Peugeot 308, compatible with LED DayLight 4



LED DayLight Mounting frame for Opel Corsa D, compatible with LED DayLight 8



Truck, bus or light commercial vehicle drivers are looking for night and day long-lasting lighting solutions combined with maximum light output for their safety as well as the safety of others on the road.

Style

LED MasterLife DayLight 8

With handy mounting frames and mini-brackets for extra durability.

- > Premium design
- > 24-hour visibility
- > No maintenance
- > Easy installation
- > 9V - 35V usage



Daytime Running Lights (DRL)

LED DayLight 4



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12820WLEDX1	12	6	Click 2	70434145		ECE E4	8727900704358	3

LED Daytime Lights



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12810WLEDX1	12	6.8	Click 1	69916628		E4 00 0013	8727900699173	5

LED DayLight 8



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12824WLEDX1	12	7.7	Click 2	70436533		ECE E4	8727900704372	2

LED DaylightGuide



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12825WLEDX1	12	6		38638733			8727900386394	2

LED DayLight Mounting frame for Peugeot 207



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
19827XM				78808566			8711500788092	1

LED DayLight Mounting frame for Peugeot 308



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
19828XM				78810866			8711500788115	1

LED DayLight Mounting frame for Opel Astra H



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
19829XM				78812266			8711500788139	1

LED DayLight Mounting frame for Opel Corsa D



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
19830XM				78814666			8711500788153	1

LED MasterLife DayLight 8



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
24824WLEDX1	24	6.5	Click 2	38170233			8727900381719	2



LED interior lighting

Philips LED interior lighting illuminates the car interior with power and precision.

The **Philips X-tremeVision LED** range provides light where it is needed the most, without blinding the driver. Choose a range of temperatures from 4 000 K to 6 700 K, from powerful warm white to ultimate blue light for maximum perception and styling.

The Philips X-tremeVision LED range produces up to **5 times* more light** while using 13 times less* energy. Its **12 year lifetime** is simply incomparable.

*Compared to a standard interior lighting solution.



Which interior LED lighting do you need?



LED interior lighting

LED style

X-tremeVision LED
4 000 K
Bright white

- > High-power LED
- > Up to 5x more light
- > Perfect geometrical fit
- > Heat resistant



Standard halogen interior lighting



X-tremeVision LED
T10 4 000 K




X-tremeVision LED
Festoon 4 000 K

LED style

X-tremeVision LED 6 000 K

Xenon white

- > High-power LED
- > Up to 5x more light
- > Perfect geometrical fit
- > Heat resistant



Standard halogen
interior lighting



X-tremeVision LED
T10 6 000 K



X-tremeVision LED
Festoon 6 000 K

LED style

X-tremeVision LED 6 700 K

Xenon blue

- > High-power LED
- > Up to 5x more light
- > Perfect geometrical fit
- > Heat resistant



X-tremeVision LED
T10 6 700 K



Standard halogen
interior lighting

LED Interior Lighting



W5W X-tremeVision LED 4 000 K



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
129644000KX2	12	1	W2.1X9.5D	70346730			8727900703467	10

W5W X-tremeVision LED 6 000 K



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
129666000KX2	12	1	W2.1X9.5D	70344330			8727900703443	10

W5W X-tremeVision LED 6 700 K



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
129326700KX2	12	1	W2.1X9.5D	38692930			8727900386936	10

WBT10 Vision LED 4 000 K



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
129334000KX2	12		W2.1X9.5D	38684430			8727900386851	10

WBT10 Vision LED 6 000 K



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
129346000KX2	12		W2.1X9.5D	38686830			8727900386875	10

WBT10 Vision LED 6 700 K



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
129356700KX2	12		W2.1X9.5D	38708730			8727900387094	10

Festoon X-tremeVision LED T14x30 4 000 K



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
129404000KX1	12	1	SV8,5	38724730			8727900387254	10

Festoon X-tremeVision LED T10,5x38 4 000 K



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
128584000KX1	12	1	SV8,5	70340530			8727900703405	10

Festoon X-tremeVision LED T10,5x43 4 000 K



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
129454000KX1	12	1	SV8,5	38343030			8727900383447	10

Festoon X-tremeVision LED T14x30 6 000 K



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
129416000KX1	12	1	SV8,5	38722330			8727900387230	10

Festoon X-tremeVision LED T10,5x38 6 000 K



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
128596000KX1	12	1	SV8,5	70338230			8727900703382	10

Festoon X-tremeVision LED T10,5x43 6 000 K



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
129466000KX1	12	1	SV8,5	38341630			8727900383423	10



Xenon lighting



Discover the new fully redesigned xenon range from Philips, the # 1 consumer choice* in xenon lighting. The new xenon range offers even more light on the road to satisfy the most demanding driver while maintaining its high OE quality and performance. **Where safety and style is a must.**

*Based on an online consumer study conducted in seven European countries.

Which xenon lamp do you need?

Safety

Ideal for replacement



Xenon Vision



Xenon Vision



Standard xenon lamp
4 600 K



Standard xenon

Available in D1S, D1R, D2S, D2R, D3S, D3R, D4S, D4R

up to 50% more light*



Xenon X-tremeVision



Xenon X-tremeVision



Standard xenon lamp
4 800 K



Standard xenon

Available in D1S, D2S, D2R, D3S

Safety and style

Maximum blue effect
up to 6 000 K



Xenon BlueVision ultra



Xenon BlueVision ultra



Standard xenon lamp
6 000 K



Standard xenon

Available in D1S, D2S, D2R

Safety

Xenon Vision

Ideal for replacement

- > Single lamp replacement technology - new lamp matches the color temperature of the unchanged one
- > Economical
- > Homologated 4 600 K



New



The new Xenon Vision is the ideal replacement, and it's economical too. Its new single-lamp replacement technology allows for one-by-one replacement while still matching* the color of the unchanged lamp. Xenon Vision, the perfect solution for single-lamp replacement.

*Xenon lamps increase their color temperature over time (bluer).



D1S



D1R



D2S



D2R



D3S



D3R



D4R



D4S



New

Style

Xenon BlueVision ultra

Maximum blue effect with up to 6 000 K

- > Designed for the most demanding drivers
- > Up to 6 000 K distinctive bluish light
- > 10% more light compared to previous generation (Philips Xenon UltraBlue)

Your drive is style

The new Xenon BlueVision ultra offers the 6 000 K ultra-stylish and distinctive blue effect that drivers have been looking for. Xenon BlueVision ultra turns even the darkest night into daylight.



Safety

Xenon X-tremeVision

up to 50% more light*

- > Ultimate performance for maximum visibility and safety
- > Up to 50% more light on the road with maximum brightness



The new Xenon X-tremeVision is the first xenon lamp with 50% more light* on the road. The ultimate choice for those who look for the best xenon solution.

*Compared to a standard xenon lamp



D1S



D2S



D2R



D3S



Standard xenon lamp



Xenon X-tremeVision

Xenon lighting



D1S Vision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
85415VIS1	85	35	PK32d-2	36489733	8 727900 364897	E1 04J	8727900364903	2
85415VIC1	85	35	PK32d-2	36473633	8 727900 364736	E1 04J	8727900364743	2

D1R Vision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
85409VIC1	85	35	PK32d-3	36475033	8 727900 364750	E1 05R	8727900364767	2

D1S BlueVision ultra



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
85415BVUC1	85	35	PK32d-2	36546733	8 727900 365467	E1 04J	8727900365443	2

D1S X-tremeVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
85415XVS1	85	35	PK32d-2	36458333	8 727900 364583	E1 04J	8727900364613	2
85415XVC1	85	35	PK32d-2	36441533	8 727900 364415	E1 04J	8727900364439	2

D2S Vision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
85122VIS1	85	35	P32d-2	36491033	8 727900 364910	E1 03V	8727900364927	2
85122VIC1	85	35	P32d-2	36477433	8 727900 364774	E1 03V	8727900364781	2

D2R Vision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
85126VIS1	85	35	P32d-3	36493433	8 727900 364934	E1 03U	8727900364941	2
85126VIC1	85	35	P32d-3	36479833	8 727900 364798	E1 03U	8727900364804	2

D2S BlueVision ultra



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
85122BVUS1	85	35	P32d-2	36552833	8 727900 365528	E1 03V	8727900365535	2
85122BVUC1	85	35	P32d-2	36545033	8 727900 365450	E1 03V	8727900365474	2

D2R BlueVision ultra



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
85126BVUS1	85	35	P32d-3	36554233	8 727900 365542	E1 03U	8727900365559	2
85126BVUC1	85	35	P32d-3	36548133	8 727900 365481	E1 03U	8727900365498	2

D2S X-tremeVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
85122XVS1	85	35	P32d-2	36462033	8 727900 364620	E1 03V	8727900364637	2
85122XVC1	85	35	P32d-2	36444633	8 727900 364446	E1 03V	8727900364453	2

D2R X-tremeVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
85126XVS1	85	35	P32d-3	36464433	8 727900 364644	E1 03U	8727900364651	2
85126XVC1	85	35	P32d-3	36446033	8 727900 364460	E1 03U	8727900364477	2

D3S Vision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
42403VIS1	42	35	PK32d-5	36495833	8 727900 364958	E4 0A9	8727900364965	2
42403VIC1	42	35	PK32d-5	36481133	8 727900 364811	E4 0A9	8727900364828	2

D3R Vision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
42306VIC1	42	35	PK32d-6	36483533	8 727900 364835	E4 0B0	8727900364842	2

D3S X-tremeVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
42403XVS1	42	35	PK32d-5	36466833	8 727900 364668	E4 0A9	8727900364675	2
42403XVC1	42	35	PK32d-5	36448433	8 727900 364484	E4 0A9	8727900364491	2

D4S Vision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
42402VIC1	42	35	P32d-5	36485933	8 727900 364859	E4 0A5	8727900364866	2

D4R Vision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
42406VIC1	42	35	P32d-6	36487333	8 727900 364873	E4 0A6	8727900364880	2



12V Car lighting

Philips Automotive is the #1 car lighting company in the world. Philips is renowned for its advanced technology, its high-quality products and innovative leadership. After all, that's why Philips is the preferred partner of the world's largest car manufacturers. Moreover, the Philips Automotive range goes beyond superior products. It is a family of solutions designed for the needs and lifestyles of all consumers.

Which lamp do you need?



Feel safe, drive safe.

30% more light	60% more light	100% more light
Value for money		
Vision	VisionPlus	X-tremeVision
Standard Vision	Standard VisionPlus	Standard X-tremeVision
+30%	+60%	+100%
★★★★☆ Overall performance	★★★★☆ Overall performance	★★★★★ Overall performance
Available in: H1, H3, H4, H7, H83, H84	Available in: H1, H4, H7	Available in: H1, H4, H7

Care how you drive.

Lifetime x4

LongLife EcoVision

★★★★☆
Overall performance

Available in: H1, H3, H4, H7, H11

Your drive is style.

Xenon ultimate effect

BlueVision ultra

Standard

★★★★★
Overall performance

Available in: H1, H3, H4, H7, H83, H84, H11



Visit the 12V application guide
www.palguide.eu

More light

Vision

30% more light*

> Original Equipment quality

Welcome to the Philips Automotive world. With 30% more light*, Vision is the entry point of the Philips range. The high quality of Vision lamps ensures excellent light beam performance at a very competitive price.

*Compared to a standard lamp



H1



H3



H4



H7



HB3



HB4

12V car lighting

More light


VisionPlus

60% more light*

> Comfort and safety

For those who need more light, Philips goes further. VisionPlus provides 60% more light* on the road, which makes it the ideal high performance choice. High performance meets high value.

*Compared to a standard lamp



With VisionPlus signaling

- Brake lighting is visible earlier, thanks to a more powerful light output.
- Drivers can reduce their braking distance by up to 3 meters at 100 km/h.



H1



H4



H7



More light

X-tremeVision

Maximum performance,
maximum visibility

- > Up to 100% more light*
on the road
- > Maximum brightness

X-tremeVision is based on a unique
filament design and optimized
geometry.

X-tremeVision uses quartz glass
and high pressure gas filling for
optimal lifetime with up to 35 m
more visibility.

Thanks to its unique technology,
X-tremeVision offers up to
100% more light on the road*.

*Compared to a standard lamp




H1



H4



H7



X-tremeVision
projects up to 100%
more light on the
road for maximum
safety and visibility.

Less replacement

LongLife EcoVision

Lifetime x4

> Less replacement

Changing a lamp is a hassle and can be very time consuming. Philips is committed to providing the highest quality standard lighting solutions to minimize this maintenance. For the most demanding drivers, Philips launched LongLife EcoVision with no replacement necessary for 100 000 km.*

*100 000 km at an average speed of 50 km/h.



With LongLife EcoVision, the end-user benefits from

- 4 times the lifetime of a standard lamp
- No replacement necessary for 100 000 km
- Reduced maintenance
- Less waste (packaging, lamp, transport, etc.)



H1



H3



H4



H7



H11

12V car lighting

Style

BlueVision ultra

Xenon ultimate effect

- > 4 000 K bright white light on the road
- > Blue xenon effect in the headlight
- > Exclusive Gradient Coating™ technology

Thanks to its unique Gradient Coating™ technology, BlueVision ultra further improves the xenon effect, providing 4 000 K bright white light on the road and improved bluish xenon effect in the headlight.



Standard halogen




BlueVision ultra

Our Gradient Coating™ technology provides a unique blue effect in the headlamp which is unmatched in a fully homologated road-legal lamp.



H1



H3



H4



H7



H11




HB3



HB4



Which 12V lamp for which function



H1 Vision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12258PRB1	12	55	P14,5s	47516930	8 711500 475169	E1 21P	8711500475176	10
12258PRC1	12	55	P14,5s	47518360	8 711500 475183	E1 21P	8711500475190	100

H1 VisionPlus



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12258VPS2	12	55	P14,5s	36322728	8 727900 363227	E1 21P	8727900363210	5
12258VPB1	12	55	P14,5s	36320330	8 727900 363203	E1 21P	8727900363197	10

H1 X-tremeVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12258XVS2	12	55	P14,5s	36064628	8 727900 360646	E1 21P	8727900360653	5
12258XVB1	12	55	P14,5s	36067730	8 727900 360677	E1 21P	8727900360684	10

H1 LongLife EcoVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12258LLECOS2	12	55	P14,5s	36255828	8 727900 362558	E1 21P	8727900362565	5
12258LLECOB1	12	55	P14,5s	36196430	8 727900 361964	E1 21P	8727900361971	10
12258LLECOC1	12	55	P14,5s	36187260	8 727900 361872	E1 21P	8727900361889	100

H1 BlueVision ultra



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12258BVUSM	12	55	P14,5s	36062228	8 727900 360622	E1 21P	8727900360639	5
12258BVUB1	12	55	P14,5s	36069130	8 727900 360691	E1 21P	8727900360707	10

H1 Spot



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12258SPC1	12	55	P14,5s	40460260	8 711500 404602	E1 21P	8711500474865	100

H2 12311



H2



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12311C1	12	55	X511	47752160	8 711500 477521	E1 22B	8711500416070	100

H3 12336 / 12455



H3 Vision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12336PRB1	12	55	PK22s	69561130	8 711500 695611	E1 21W	8711500695628	10
12336PRC1	12	55	PK22s	69534560	8 711500 695345	E1 21W	8711500695352	100

H3 LongLife EcoVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12336LLECOC1	12	55	PK22s	77704160		E1 21W	8711500777058	100

H3 BlueVision ultra



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12336BVUB1	12	55	PK22s	77688430		E1 21W	8711500776891	10

H4 12342 / 12569 / 12593



H4 Vision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12342PRB1	12	60/55	P43t-38	47480330		E1 2C3	8711500474810	10
12342PRC1	12	60/55	P43t-38	49099560		E1 2C3	8711500490988	100

H4 VisionPlus



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12342VPS2	12	60/55	P43t-38	39925728		E1 2C3	8727900399240	5
12342VPB1	12	60/55	P43t-38	39934930		E1 2C3	8727900399332	10

H4 X-tremeVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12342XVS2	12	60/55	P43t-38	35024128		E1 2C3	8727900350258	5
12342XVB1	12	60/55	P43t-38	35038830		E1 2C3	8727900350395	10

H4 LongLife EcoVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12342LLECOS2	12	60/55	P43t-38	36257228		E1 2C3	8727900362589	5
12342LLECOB1	12	60/55	P43t-38	36198830		E1 2C3	8727900361995	10
12342LLECOC1	12	60/55	P43t-38	36189660		E1 2C3	8727900361919	100

H4 BlueVision ultra



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12342BVUSM	12	60/55	P43t-38	35034028		E1 2C3	8727900350357	5
12342BVUB1	12	60/55	P43t-38	35030230		E1 2C3	8727900350319	10

H7 12035 / 12972



H7 Vision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12972PRB1	12	55	PX26d	40607130		E1 22Z	8711500406088	10
12972PRC1	12	55	PX26d	40593760		E1 22Z	8711500405944	100

H7 VisionPlus



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12972VPS2	12	55	PX26d	39938728		E1 22Z	8727900399370	5
12972VPB1	12	55	PX26d	39936330		E1 22Z	8727900399356	10

H7 X-tremeVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12972XVS2	12	55	PX26d	35026528		E1 22Z	8727900350272	5
12972XVB1	12	55	PX26d	35040130		E1 22Z	8727900350418	10

H7 LongLife EcoVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12972LLECOS2	12	55	PX26d	36259628		E1 22Z	8727900362602	5
12972LLECOB1	12	55	PX26d	36200830		E1 22Z	8727900362015	10
12972LLECOC1	12	55	PX26d	36192660		E1 22Z	8727900361933	100

H7 BlueVision ultra



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12972BVUSM	12	55	PX26d	35036428		E1 22Z	8727900350371	5
12972BVUB1	12	55	PX26d	35032630		E1 22Z	8727900350333	10

H8 12360



H8



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12360B1	12	35	PGJ19-1	82416530		E1 24F	8727900362909	10
12360C1	12	35	PGJ19-1	47582444		E1 24F	8711500490681	50

H9 12361



H9



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12361B1	12	65	PGJ19-5	36308130		E1 25C	8727900363098	10
12361C1	12	65	PGJ19-5	47584844		E1 25C	8711500490698	50

H11 12362



H11 Vision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12362PRB1	12	55	PGJ19-2	36428630		E1 25M	8727900364293	10
12362PRC1	12	55	PGJ19-2	36430944		E1 25M	8727900364316	50

H11 LongLife EcoVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12362LLECOB1	12	55	PGJ19-2	36310430	8 727900 363104		8727900363111	10
12362LLECOC1	12	55	PGJ19-2	36194044	8 727900 361940		8727900361957	50

H11 BlueVision ultra



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12362BVUB1	12	55	PGJ19-2	36216930	8 727900 362169	E1 25M	8727900362176	10

HIR2 LongLife 9012



HIR2 LongLife



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
9012LLC1	12	55	PX22d	35125533	8 727900 351255	E1 2R9	8727900351262	15

H13 9008



H13



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
9008C1	12	60/55	P26,4t	87798760	8 711500 877987	E1 27P	8711500243652	100

HB3 9005



HB3 Vision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
9005PRB1	12	65	P20d	24724730	8 711500 247247	E1 22S	8711500247254	10
9005PRC1	12	65	P20d	24689960	8 711500 246899	E1 22S	8711500246905	100

HB3 BlueVision ultra



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
9005BVUB1	12	65	P20d	35097530	8 727900 350975	E1 22S	8727900350999	10

HB4 9006



HB4 Vision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
9006PRB1	12	55	P22d	24726130	8 711500 247261	E1 22T	8711500247278	10
9006PRC1	12	55	P22d	24687560	8 711500 246875	E1 22T	8711500246882	100

HB4 BlueVision ultra



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
9006BVUB1	12	55	P22d	35100230	8 727900 351002		8727900351019	10

H10 9145**H10**

Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
9145C1	12	45	PY20d	52974560	8 711559 529745	E1 25J	8711559529769	100

HB5 9007**HB5 9007**

Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
9007C1	12	65/55	PX29t	24550260	8 711500 245502		8711500245526	100

R2 12475 / 12620**R2**

Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12620B1	12	45/40	P45t-41	05543930	8 711500 055439	E1 2B5	8711559525327	10
12620C1	12	45/40	P45t-41	40085760	8 711500 400857	E1 2B5	8711500414755	100

R2 Visio

Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12475B1	12	45/40	P45t-41	24716230	8 711500 247162	E4 2CW	8711500247179	10
12475C1	12	45/40	P45t-41	40466460	8 711500 404664	E4 2CW	8711559514475	100

P21W**P21W VisionPlus**

Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12498VPB2	12	21	BA15s	36318030	8 727900 363180	E1 2CH	8727900363173	10

P21W LongLife EcoVision

Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12498LLECOB2	12	21	BA15s	38210530	8 727900 382105	E1 2CH	8727900382112	10
12498LLECOCP	12	21	BA15s	38198673	8 727900 381986	E1 2CH	8727900382006	200

P21W

Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12498B2	12	21	BA15s	5549130	8 711500 055491	E1 2CH	8711559520131	10
12498CP	12	21	BA15s	49078073	8 711500 490780	E1 2CH	8711500490803	200



P21/4W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12594B2	12	21/4	BAZ15d	40485530	8 711500 404855	E1 2BA	8711500471017	10
12594CP	12	21/4	BAZ15d	48433873	8 711500 484338	E1 2BA	8711500484352	200



P21/5W VisionPlus



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12499VPB2	12	21/5	BAY15d	36316630	8 727900 363166	E1 2CR	8727900363159	10

P21/5W LongLife Ecovision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12499LLECOB2	12	21/5	BAY15d	38212930	8 727900 382129	E1 2CR	8727900382136	10
12499LLECOCP	12	21/5	BAY15d	38201373	8 727900 382013	E1 2CR	8727900382037	200



P21/5W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12499B2	12	21/5	BAY15d	05545330	8 711500 055453	E1 2CR	8711559520148	10
12499CP	12	21/5	BAY15d	48159773	8 711500 481597	E1 2CR	8711500481610	200



PR21/5W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12495CP	12	21/5	BAW15d	48873273	8 711500 488732	E4 2MC	8711500488756	200



PY21W SilverVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12496SVS2	12	21	BAU15s	47982230	8 711500 479822	E2 2F7	8711500479839	10
12496SVB2	12	21	BAU15s	31117730	8 711500 311177	E2 2F7	8711500311191	10

PY21 LongLife EcoVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12496LLECOCP	12	21	BAU15s	38218173	8 727900 382181		8727900382204	200



PY21W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12496NAB2	12	21	BAU15s	52372930	8 711559 523729	E2 2F7	8711559523743	10
12496NACP	12	21	BAU15s	52534173	8 711559 525341	E2 2F7	8711559525365	200



PR21W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12088CP	12	21	BAW15s	48531173	8 711500 485311	E4 2LV	8711500485762	200

Stop 12401 / 12413 / 12445



Stop G18



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12413CP	12	15	BA15s	87811373	8 711500 878113		8711500878137	200



Stop P22



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12401CP	12	15	BA15s	87821273	8 711500 878212		8711500878236	200



Stop P25



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12445CP	12	18	BA15s	48440673	8 711500 484406		8711500484420	200



Rear parking lights 12093 / 12814 / 12821 / 12822

R5W LongLife EcoVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12821LLECOB2	12		BA15s	38208230	8 727900 382082	E1 2AY	8727900382099	10
12821LLECOCP	12		BA15s	38195573	8 727900 381955	E1 2AY	8727900381979	200

R5W BA15s



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12821B2	12	5	BA15s	5546030	8 711500 055460	E1 2AY	8711500417701	10
12821CP	12	5	BA15s	48269373	8 711500 482693	E1 2AY	8711500482716	200

R5W BA15d



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12822CP	12	5	BA15d	45407273	8 711500 454072		8711500408976	200



R10W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12814B2	12	10	BA15s	5547730	8 711500 055477	E1 2BF	8711500417718	10
12814CP	12	10	BA15s	48341673	8 711500 483416	E1 2BF	8711500483430	200



RY10W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12093NACP	12	10	BAU15s	48362173	8 711500 483621	E1 2KX	8711500483645	200

Wedge Base

CANbus control unit for LED lamps



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12956X2	12	5		38345430	8 727900 383454		8727900383461	10

W1,2W - W2,3W - W2W - WBT5



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12061CP	12	2.3	W2x4,6d	48330073	8 711500 483300	E1 2B	8711500483324	200
12505CP	12	2	W2x4,6d	48327073	8 711500 483270		8711500483294	200
12516B2	12	1.2	W2x4,6d	5554530	8 711500 055545		8711500417763	10
12516CP	12	1.2	W2x4,6d	48153573	8 711500 481535		8711500481559	200
12521CP	12	1	W2x4,6d	48321873	8 711500 483218		8711500483232	200

W2,2W - W3W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12256B2	12	3	W2,1x9,5d	52410830	8 711559 524108	E1 2CD	8711559524122	10
12256CP	12	3	W2,1x9,5d	48144373	8 711500 481443	E1 2CD	8711500481467	200
12960CP	12	2.2	W2,1x9,5d	48150473	8 711500 481504		8711500481528	200

W5W BlueVision ultra



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12961BVHTCB2	12	5	W2,1x9,5d	31029330	8 711500 310293	E1 2CA	8711559523774	10

W5W LongLife EcoVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12961LLECOB2	12	5	W2,1x9,5d	38204430	8 727900 382044	E1 2CA	8727900382051	10
12961LLECOCP	12	5	W2,1x9,5d	38189473	8 727900 381894	E1 2CA	8727900381917	200

W5W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12961B2	12	5	W2,1x9,5d	40421330	8 711500 404213	E1 2CA	8711559520070	10
12961CP	12	5	W2,1x9,5d	49090273	8 711500 490902	E1 2CA	8711500490926	200

WY5W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12396NAB2	12	5	W2,1x9,5d	40058130	8 711500 400581	E4 2EA	8711500400598	10
12396NACP	12	5	W2,1x9,5d	53002473	8 711559 530024	E4 2EA	8711559530048	200

WBT10



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12040HOB2	12	6	W2,1x9,5d	52416030	8 711559 524160		8711559524184	10

W16W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12067B2	12		W2,1x9,5d	40587630	8 711500 405876	E2 2JO	8711559521053	10
12067CP	12	16	W2,1x9,5d	48272373	8 711500 482723	E2 2JO	8711500482747	200

W21W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12065B2	12		W3x16d	70146330	8 727900 701463	E4 2DT	8727900701470	10
12065CP	12	21	W3x16d	47135273	8 711500 471352	E4 2DT	8711500471376	200

W21/5W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12066B2	12	21/5	W3x16q	69739130	8 727900 697391	E4 2DU	8727900697407	10
12066CP	12	21/5	W3x16q	47138373	8 711500 471383	E4 2DU	8711500471505	200

WY21W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12071B2	12	21	WX3x16d	69741430	8 727900 697414	E4 2LU	8727900697421	10
12071CP	12	21	WX3x16d	52539673	8 711559 525396	E4 2LU	8711559525419	200

Festoon 12818 / 12844 / 12848 / 12850 / 12854 / 12860 / 12864 / 12866



Festoon T6,2x27



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12818CP	12	3	SV6	48461173	8 711500 484611		8711500484635	200
12848CP	12	3	SV6	48467373	8 711500 484673		8711500484697	200

C5W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12844B2	12	5	SV8,5	5551430	8 711500 055514	E1 2BL	8711500417749	10
12844CP	12	5	SV8,5	48156673	8 711500 481566	E1 2BL	8711500481580	200

Festoon T10,5x30 LongLife EcoVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12860LLECOCP	12	10	SV8,5	38192473	8 727900 381924		8727900381948	200

Festoon T10,5x38



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12854CP	12	10	SV8,5	48248873	8 711500 482488		8711500482501	200

Festoon T10,5x43



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12864CP	12	5	SV8,5	48205173	8 711500 482051		8711500482327	200
12866B2	12	10	SV8,5	5552130	8 711500 055521		8711500417756	10
12866CP	12	10	SV8,5	48242673	8 711500 482426		8711500482440	200

Festoon T15x43



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12850CP	12	15	SV8,5	48285373	8 711500 482853		8711500482877	200

Auxiliary lamps 12036 / 12910 / 12913 / 12929

T2W-T3W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12910CP	12	3	BA9s	21949773	8 711500 219497		8711500219510	200
12913CP	12	2	BA9s	21997873	8 711500 219978		8711500219992	200

T4W BlueVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12929BVB2	12		BA9s	31031630	8 711500 310316	E1 2BU	8711500310392	10

T4W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12929B2	12	4	BA9s	5550730	8 711500 055507	E1 2BU	8711559520094	10
12929CP	12	4	BA9s	21979473	8 711500 219794	E1 2BU	8711500219817	200

H6W BlueVision ultra



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12036BVB2	12	6	BAX9s	24567030	8 711500 245670	E1 2GK	8711500245687	10
12036BVUCP	12	6	BAX9s	87609673	8 711500 876096	E1 2GK	8711500876119	200



H6W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12036B2	12	6	BAX9s	24720930	8 711500 247209	E1 2GK	8711500247216	10
12036CP	12	6	BAX9s	87603473	8 711500 876034	E1 2GK	8711500876058	200

Bax



Bax Tool Box 12V



Ordering number	Product	V	GOC	EAN1	EAN 3	Packing quantity
55502GKKM	KIT BAX 55502 GK	12	69717928	8 727900 697179	8727900697230	5

Bax 8,3s/1,35 black



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12597B2	12	1.2	BAX8,3s/1,35 black	53018530	8 711559 530185		8711559530192	10
12597CP	12	1.2	BAX8,3s/1,35 black	48365273	8 711500 483652		8711500483676	200

Bax 8,3s/1,5 blue



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12602CP	12	2	BAX8,3s/1,5 blue	48396673	8 711500 483966		8711500483980	200

Bax 8,5d/2 black



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12598B2	12	1.2	BAX8,5d/2 black	40588330	8 711500 405883		8711500405890	10
12598CP	12	1.2	BAX8,5d/2 black	48387473	8 711500 483874		8711500483898	200

Bax 8,5d/1,5 blue



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12603CP	12	1.2	BAX8,5d/1,5 blue	48399773	8 711500 483997		8711500484017	200

Bax 8,5d/2 green



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12600CP	12	2	BAX8,5d/2 y-green	48393573	8 711500 483935		8711500483959	200

B8,5D green



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12604CP	12	2	B8,5d green	40508173	8 711500 405081		8711500309662	200

B8,5D beige



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12637CP	12	1.5	B8,5d beige	51487173	8 711559 514871		8711559512471	200

B10D black halogen



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12615CP	12	5	B10d black	52807673	8 711559 528076		8711500244147	200

B10D brown halogen



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12614CP	12	3	B10d brown	52805273	8 711559 528052		8711559513409	200

B8,4D light blue



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12623CP	12	1.2	B8,4d light blue	51384373	8 711559 513843		8711500244413	200

BX8,4D beige



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12627CP	12	1.5	BX8,4d beige	51414773	8 711559 514147		8711500400093	200
12629CP	12	1.8	BX8,4d beige	51488873	8 711559 514888		8711559512716	200

BX8,4D black



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12625CP	12	1.2	BX8,4d black	51409373	8 711559 514093		8711500244444	200

BX8,4D light green



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12626CP	12	2	BX8,4d light green	51412373	8 711559 514123		8711500246073	200

BX8,4D olive green



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12628CP	12	1.3	BX8,4d olive green	77432373	8 711500 774323		8711500774347	200

BX8,4D orange



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12624CP	12	1.1	BX8,4d orange	51411673	8 711559 514116		8711500245144	200

BX8,5D white



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12638CP	12	1.12	BX8,5D white	48846673	8 711500 488466		8711500488480	200

Miniature halogen signaling USA 12023 / 12024 / 12025 / 12059 / 12060 / 12146 / 12356



H10W - H20W - H5W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12023CP	12	5	BA9s	51270973	8 711559 512709		8711559514864	200
12024CP	12	10	BA9s	52941773	8 711559 529417		8711559529844	200
12025CP	12	20	BA9s	87600373	8 711500 876003		8711500876027	200



H21W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12356CP	12	21	BAY9s	87989973	8 711500 879899	E1 2GW	8711500879912	200



HY21W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12146CP	12	21	BAW9s	35244373	8 727900 352443		8727900352467	200



H27W/1



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12059C1	12	27	PG13	52854073	8 711559 528540	E1 24A	8711559528564	200



H27W/2



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12060C1	12	27	PGJ13	52857173	8 711559 528571	E1 24A	8711559528595	200

HiPerVision

P13W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12277C1	12	13	PG18.5d-1	69672133	8 727900 696721	E4 2MM	8727900699388	15

PS19W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12085C1	12	19	PG20/1	69653033	8 727900 696530	E4 2HZ	8727900699326	15

PS 19W LongLife



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12085LLC1	12		PG20/1	70046633	8 727900 700466	E4 2HZ	8727900700473	15

PSY19W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12275NAC1	12	19	PG20/2	52735233	8 711559 527352	E4 2ME	8727900699364	15

PS24W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12086FFC1	12	24	PG20/3	70044233	8 727900 700442		8727900700459	15

PSX24W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12276C1	12	24	PG20/7	69676933	8 727900 696769	E4 2MK	8727900699395	15

PY24W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12190NAC1	12		PGU20/4	69690533	8 727900 696905	E4 2LW	8727900699357	15

PY24 SilverVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12274SV+C1	12	24	PGU20/4	69678333	8 727900 696783	E4 2LW	8727900699371	15

PSY24W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12188NAC1	12	24	PG20/4	69668433	8 727900 696684	E4 2MH	8727900699340	15

PSY24W SilverVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12180SV+C1	12	24	PG20/4	70379533	8 727900 703795	E4 2MH	8727900703801	15

Spare kits

Easy Kit



Ordering number	Product	V	GOC	EAN1	EAN 3	Packing quantity
55472EKKM	KIT H1 55472 EK	12	69551928	8 727900 695519	8727900695533	5
55473EKKM	KIT H4 55473 EK	12	69555728	8 727900 695557	8727900695571	5
55474EKKM	KIT H7 55474 EK	12	69558828	8 727900 695588	8727900695601	5
55475EKKM	KIT H1/H7 55475 EK	12	69562528	8 727900 695625	8727900695656	5
55476EKKM	KIT R2 55476 EK	12	69566328	8 727900 695663	8727900695687	5

Single Kit



Ordering number	Product	V	GOC	EAN1	EAN 3	Packing quantity
55005SKKM	KIT H4 55005 SK	12	52730730		8711559527246	10
55007SKKM	KIT H7 55007 SK	12	52732130		8711559527215	10
55008SKKM	KIT H1 55008 SK	12	52731430		8711559527222	10
55010SKKM	KIT H1/H7 55010 SK	12	30999030		8711500310163	10

Essential Box



Ordering number	Product	V	GOC	EAN1	EAN 3	Packing quantity
55717EBKM	KIT H1 55717 EB	12	70032928		8727900700336	5
55718EBKM	KIT H4 55718 EB	12	70034328		8727900700350	5
55719EBKM	KIT H7 55719 EB	12	70036728		8727900700374	5
55720EBKM	KIT H1/H7 55720 EB	12	70038128		8727900700398	5
55721EBKM	KIT R2 55721 EB	12	70040428		8727900700411	5



24V Bus and Truck lighting

Philips is committed to developing lighting solutions to meet the needs of both large and small fleet owners, transportation departments and all garage professionals. We offer a complete range of 24V halogen and LED lighting solutions for trucks, buses, and large heavy-duty vehicles.



Visit our 24V professional website
www.philips.co.uk/autolamp

Durability

MasterDuty

Maximum vibration resistance

- > Robust filament
- > High-performance quartz glass

MasterDuty 24V headlamps are designed to withstand extreme stress and vibration.



- Increased stiffness of mount and base to provide ultimate protection against mechanical shock.
- A robust double coil filament designed to withstand a wide range of vibration frequencies while remaining stable.
- High-performance quartz glass to withstand temperature and pressure changes.



H1



H3



H4



H7



H11

Durability

MasterLife

Maximum durability & lifetime

- > Lasts up to 2.5 times longer*

MasterLife 24V headlamps last up to 2.5 times longer than 24V standard lamps on the market.

*Compared to a standard lamp



- The maximum vibration resistance features of MasterDuty are combined with lifetime extension technology (up to 1 800 hours).
- Filament design based on the MasterDuty double-coil technology.
- Heavier gas composition designed to reduce tungsten evaporation.



H1



H3



H4



H7



H11



Style

MasterDuty BlueVision

Xenon effect

> When maximum performance meets style

MasterDuty BlueVision 24V headlamps combine maximum performance xenon-effect lighting and vibration resistance.



H3



H4



H7

- High-performance quartz glass with a special xenon-effect coating.
- Distinctive blue cap - look sharp even when turned off.
- The same maximum vibration resistance features of MasterDuty.

24V bus and truck lighting



Discover the LED MasterLife DayLight 8 solution for your heavy-duty vehicle on page 10.

Which 24V lamp for which function



MasterLife

Maximum
durability & lifetime



MasterDuty
BlueVision

Xenon effect



MasterDuty

Maximum
vibration resistance



24V MaxiKit



24V MiniKit

MasterDuty spare kits



H1 H3 H3BV H4 H4BV H7 H7BV H11 R2 Visio D2S D2R D1S/R



High beam - additional high beam - low beam



W5W C5W R5W



Interior lighting



W5W T4W R5W



Front parking lights



R5W R10W T4W



Rear parking lights



P21W P21/5W



Rear fog light - Reversing light



P21W P21/5W



Stop light



H1 H2 H3 H3BV H7 H7BV H11

Front fog lights



W3W W5W WBT5 Bax

Dashboard lights



P21W PY21W H21W

Front indicators



W5W C5W R5W T4W

Running lights



C5W R5W R10W T4W

Side indicators



P21W PY21W H21W

Rear indicators



C5W W5W T4W

License plate



H1 13258



H1 MasterLife



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13258MLC1	24	70	P14,5s	82569860	8 711500 825698	E1 22C	8711500825704	100

H1 MasterDuty



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13258MDB1	24	70	P14,5s	82585830	8 711500 825858	E1 22C	8711500825865	10
13258MDC1	24	70	P14,5s	82577360	8 711500 825773	E1 22C	8711500825780	100

H3 13336 / 13628



H3 MasterLife



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13336MLC1	24	70	PK22s	77462060	8 711500 774620	E1 21U	8711500774651	100

H3 MasterDuty BlueVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13336MDBVS2	24	70	PK22s	77486628	8 711500 774866	E1 21U	8711500774897	5
13336MDBVB1	24	70	PK22s	77488030	8 711500 774880	E1 21U	8711500774910	10

H3 MasterDuty



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13336MDB1	24	70	PK22s	77459030	8 711500 774590	E1 21U	8711500774613	10
13336MDC1	24	70	PK22s	77460660	8 711500 774606	E1 21U	8711500774637	100

H4 13342 / 24569



H4 MasterLife



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13342MLC1	24	75/70	P43t-38	82571160	8 711500 825711	E1 2C7	8711500825728	100

H4 MasterDuty BlueVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13342MDBVS2	24	75/70	P43T	53275328	8 727900 532753	E1 2C7	8727900532760	5
13342MDBVB1	24	75/70	P43T	53281430	8 727900 532814	E1 2C7	8727900532821	10

H4 MasterDuty



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13342MDB1	24	75/70	P43t-38	82587230		E1 2C7	8711500825889	10
13342MDC1	24	75/70	P43t-38	82579760		E1 2C7	8711500825803	100

H7 13972



H7 MasterLife



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13972MLC1	24	70	PX26d	82573560		E4 2DN	8711500825742	100

H7 MasterDuty BlueVision



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13972MDBVS2	24	70	PX26d	53277728		E4 2DN	8727900532784	5
13972MDBVB1	24	70	PX26d	53279130		E4 2DN	8727900532807	10

H7 MasterDuty



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13972MDB1	24	70	PX26d	82589630		E4 2DN	8711500825902	10
13972MDC1	24	70	PX26d	82581060		E4 2DN	8711500825827	100

H11 24362



H11 MasterLife



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
24362MLC1	24	70	PGJ19-2	82575944		E1 25Z	8711500825766	50

H11 MasterDuty



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
24362MDC1	24	70	PGJ19-2	82583460		E1 25Z	8711500825841	100

R2 13620



R2



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13620C1	24	55/50	P45t-41	40087160		E1 2C1	8711500414793	100

P21W 13496 / 13498 / 13499



P21W MasterLife



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13498MLCP	24	21	BA15s	69961673		E1 2CL	8727900699630	200

P21W MasterDuty



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13498MDCP	24	21	BA15s	69949473		E1 2CL	8727900699517	200

P21W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13498B2	24	21	BA15s	40455830		E1 2CL	8711500405449	10
13498CP	24	21	BA15s	48415473		E1 2CL	8711500484178	200

P21/5W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13499B2	24	21/5	BAY15d	40456530		E1 2CU	8711500405371	10
13499CP	24	21/5	BAY15d	48424673		E1 2CU	8711500484260	200

PY21W MasterLife



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13496MLCP	24	21	BAU15s	69964773		E2 2F9	8727900699661	200

Stop 13401 / 13402 / 13445



Stop P22



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13401CP	24	15	BA15s	87826773			8711500878281	200
13402CP	24	15	BA15d	87836673			8711500878380	200

Stop P25



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13445CP	24	18	BA15s	48443773			8711500484451	200

Rear parking lamps 13814 / 13821



R5W MasterLife



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13821MLCP	24	5	BA15s	69970873	8 727900 699708	E1 2BB	8727900699722	200

R5W MasterDuty



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13821MDCP	24	5	BA15s	69955573	8 727900 699555	E1 2BB	8727900699579	200

R5W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13821B2	24	5	BA15s	40453430	8 711500 404534	E1 2BB	8711500405425	10
13821CP	24	5	BA15s	48338673	8 711500 483386	E1 2BB	8711500483409	200

R10W MasterLife



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13814MLCP	24	10	BA15s	69967873	8 727900 699678	E1 2BH	8727900699692	200

R10W MasterDuty



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13814MDCP	24	10	BA15s	69952473	8 727900 699524	E1 2BH	8727900699548	200

R10W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13814B2	24	10	BA15s	40452730	8 711500 404527	E1 2BH	8711559526409	10
13814CP	24	10	BA15s	48344773	8 711500 483447	E1 2BH	8711500483461	200

Auxiliary lamps 13910 / 13913 / 13929



T4W MasterLife



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13929MLCP	24	4	BA9s	69976073	8 727900 699760	E1 2BX	8727900699784	200

T4W MasterDuty



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13929MDCP	24	4	BA9s	69958673	8 727900 699586	E1 2BX	8727900699609	200

T4W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13929B2	24	4	BA9s	40454130	8 711500 404541	E1 2BX	8711500405432	10
13929CP	24	4	BA9s	21985573	8 711500 219855	E1 2BX	8711500219879	200

T2W - T3W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13910CP	24	3	BA9s	21955873	8 711500 219558		8711500219572	200
13913CP	24	2	BA9s	22003573	8 711500 220035		8711500220059	200

Wedge base and miniature LED and halogen 24V lighting

WBT10 X-tremeVision LED 4 000K



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
249304000KX2	24	1	W2.1X9.5D	38726130	8 727900 387261		8727900387278	10

WBT10 X-tremeVision LED 6 000 K



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
249316000KX2	24	1	W2.1X9.5D	38337930	8 727900 383379		8727900383386	10

H21W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
24356CP	24	21	BAY9s	87615773	8 711500 876157		8711500876171	200

W2,5W - W3W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13256CP	24	3	W2,1x9,5d	48141273	8 711500 481412	E1 2CF	8711500481436	200
13960CP	24	2.5	W2,1x9,5d	48147473	8 711500 481474		8711500481498	200

W5W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13961B2	24	5	W2,1x9,5d	52420730	8 711559 524207	E1 2CB	8711559524214	10
13961CP	24	5	W2,1x9,5d	48138273	8 711500 481382	E1 2CB	8711500481405	200

WB T5



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13516CP	24	1.2	W2x4,6d	48306573	8 711500 483065		8711500483089	200
13521CP	24	1	W2x4,6d	48324973	8 711500 483249		8711500483263	200
13974CP	24	2	W2x4,6d	48318873	8 711500 483188		8711500483201	200

Bax 13597 / 13598 / 24029 / 24032



Bax 8,3s/1,35 grey



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13597CP	24	1.2	BAX8,3s/1,35 grey	48384373	8 711500 483843		8711500483867	200

Bax 8,5d/2 grey



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13598CP	24	1.2	BAX8,5d/2 grey	48390473	8 711500 483904		8711500483928	200

Bax 8,5d brown



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
24032CP	24	1.2	BX8.5D Brown	48852773	8 711500 488527		8711500488541	200

Bax yellow



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
24029CP	24	1.2	BAX8,5d/2 yellow	48402473	8 711500 484024		8711500484048	200

Festoon

Festoon X-tremeVision LED T10,5x38 4 000 K



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
249434000KX1	24	1	SV8,5	38746930	8 727900 387469		8727900387476	10

Festoon X-tremeVision LED T10,5x38 6 000 K



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
249446000KX1	24	1	SV8,5	38339330	8 727900 383393		8727900383409	10

Festoon X-tremeVision LED T10,5x43 4 000 K



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
249454000KX1	24	1	SV8,5	38756830	8 727900 387568		8727900387575	10

Festoon X-tremeVision LED T10,5x43 6 000 K



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
249466000KX1	24	1	SV8,5	38418530	8 727900 384185		8727900384192	10

Festoon T6,2x27



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13818CP	24	3	SV6	48464273	8 711500 484642		8711500484666	200

Festoon T6,2x35



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13848CP	24	3	SV6	48470373	8 711500 484703		8711500484727	200

Festoon T10,5x38 10W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13854CP	24	10	SV8,5	48251873	8 711500 482518		8711500482532	200

C5W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13844B2	24	5	SV8,5	40463330	8 711500 404633	E1 2BN	8711500405388	10
13844CP	24	5	SV8,5	48197973	8 711500 481979	E1 2BN	8711500481993	200

Festoon T10,5x43 5W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13864CP	24	5	SV8,5	48233473	8 711500 482334		8711500482358	200

Festoon T10,5x43 10W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13866CP	24	10	SV8,5	48245773	8 711500 482457		8711500482471	200

Festoon T15x43



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
13807CP	24	18	SV8,5	48294573	8 711500 482945		8711500482969	200
13850CP	24	15	SV8,5	48288473	8 711500 482884		8711500482907	200

24V Spare kits 55554 / 55555 / 55559 / 55560 / 55561

MasterDuty MiniKit



Ordering number	Product	V	GOC	EAN1	EAN 3	Packing quantity
55554SKMDKM	KIT H4 55554 SKMD	24	69586130		8727900695885	10
55555SKMDKM	KIT H7 55555 SKMD	24	69590830		8727900695939	10

MasterDuty MaxiKit



Ordering number	Product	V	GOC	EAN1	EAN 3	Packing quantity
55559LKMDKM	KIT H4 55559 LKMD	24	69684494		8727900696851	4
55560LKMDKM	KIT H7 55560 LKMD	24	69686894		8727900696875	4
55561LKMDKM	KIT H1/H7 55561 LKMD	24	69688294		8727900696899	4



12V Two-wheeler lighting

At Philips, we believe that road safety begins with appropriate lighting. Our motorcycle lamp solutions provide powerful bright light where it's needed the most, while helping other road users recognize the motorcycle as soon as possible. Our lighting solutions not only provide the safety your customer needs, but also the styling he's been looking for.

Which two-wheeler lamp do you need?

Feel safe, ride safe

30% more light



Vision Moto



Overall performance: ★★★★★

Available in: H4, H5, H7

See & be seen



CityVision Moto



Overall performance: ★★★★★

Available in: H4, H5, H7

100% more light



X-tremeVision Moto



Overall performance: ★★★★★

Available in: H4, H5, H7

Original Equipment since 1914

Your ride is style

Xenon ultimate effect



BlueVision Moto



Overall performance: ★★★★★

Available in: H4, H7



Philips two-wheeler lamps are vibration resistant from 10G to up to 15G (gravitational force)



Visit the two-wheeler website
www.philips.co.uk/moto

More light

Vision Moto

30% more light*

Welcome to Vision Moto.
With 30% more light* on the road we offer the high quality you need at a reasonable price.

*Compared to a standard lamp



H4



H7



H51

More light

CityVision Moto

See and be seen

Philips created CityVision Moto for the extra safety the driver needs in the city traffic. With 40% more bright white light* on the road and an orange effect in the headlight: *Be seen in traffic.*

*Compared to a standard lamp



H4



H7



H51

More light

X-tremeVision Moto

Up to 100% more light*

Philips state-of-the-art technology offers maximum performance and bright white light where it simply matters the most.

*Compared to a standard lamp



H4



H7

Style

BlueVision Moto

Xenon ultimate effect

The unique Philips Gradient coating™ technology creates the stylish xenon effect in the headlight while producing a powerful 4 000 K bright white light on the road. The lamp your customer has been waiting for!



H4



H7

Which two-wheeler lamp for which function



Vision Moto

30% more light*



CityVision Moto

See and be seen






X-tremeVision Moto

up to 100% more light*



BlueVision Moto

Xenon ultimate effect



12V two-wheeler lighting

* Compared to a standard lamp

H4 12342**H4** Vision Moto

Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12342PRBW	12	60/55	P43t-38	49024730		E1 2C3	8711500490254	10

H4 CityVision Moto

Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12342CTVBW	12	60/55	P43t-38	39896030		E1 2C3	8727900398977	10

H4 X-tremeVision Moto

Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12342XVBW	12	60/55	P43t-38	36229930			8727900362305	10

H4 BlueVision Moto

Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12342BVUBW	12	60/55	P43t-38	36231230			8727900362329	10

H7 12972**H7** Vision Moto

Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12972PRBW	12	55	PX26d	49026130		E1 22Z	8711500490278	10

H7 CityVision Moto

Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12972CTVBW	12	55	PX26d	39898430		E1 22Z	8727900398991	10

H7 X-tremeVision Moto

Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12972XVBW	12	55	PX26d	35151430		E1 22Z	8727900351521	10

H7 BlueVision Moto

Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12972BVUBW	12	55	PX26d	35153830		E1 22Z	8727900351545	10

HS1 12636**HS1** Vision Moto


Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12636BW	12	35/35	PX43t	53035330		E1 2E5	8727900530360	10

HS1 CityVision Moto



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12636CTVBW	12	35/35	PX43t	39894630	8 727900 398946		8727900398953	10

S3 12008



S3



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12008BW	12	15	P26s	77381430	8 711500 773814	E1 21Z	8711500773845	10
12008C1	12	15	P26s	77394460	8 711500 773944	E1 21Z	8711500773951	100

Two-wheeler signaling 12256 / 12498 / 12499



W3W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12256B2	12	3	W2,1x9,5d	52410830	8 711559 524108	E1 2CD	8711559524122	10
12256CP	12	3	W2,1x9,5d	48144373	8 711500 481443	E1 2CD	8711500481467	200

P21W



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12498B2	12	21	BA15s	5549130	8 711500 055491	E1 2CH	8711559520131	10
12498CP	12	21	BA15s	49078073	8 711500 490780	E1 2CH	8711500490803	200

P21/5W ExtraDuty



Ordering number	V	W	Base	GOC	EAN1	ECE	EAN 3	Packing quantity
12499EDBW	12	21/5	BAY15d	87900430	8 711500 879004	E1 2CR	8711500879035	20



LED bike lighting

#1 in automotive lighting worldwide, we bring our long experience and know-how to the service of today's bicycle riders. Especially designed for consumer safety, comfort, and style, discover the complete line of bicycle lighting products that will let you satisfy all of your customers' needs.



Front lighting

SafeRide LED BikeLight 40

Dynamo-driven
Battery-driven



Light performance

- Crystal-white light 5 500 K
- Powered by high-power LUXEON® LED
- 40 lux at 10 meters
- See up to 30 meters
- Extra wide 50° illumination
- Glare-free beam
- Foreground illumination

Design

- High-efficiency reflector
- Simple to install, simple to use
- May be installed on all types of bikes

User benefits

- Automatic light sensor (dynamo driven)
- 4-minute standlight function (dynamo driven)
- Smart and compact design
- StVZO compliant



Standard bicycle light 10 lux



SafeRide LED BikeLight 40 lux



Light performance

- 5x more light on the road
- Crystal-white light 5 500 K
- Powered by 2 new generation high-power LUXEON® LEDs
- 60 lux at 10 meters
- Up to 50 meters uniform motorcycle-lighting performance
- Extra wide 50° illumination
- Glare-free beam
- SafeRide powerful foreground illumination

Design

- High efficiency reflector
- Simple to install, simple to use

User benefits

- Compatible with all dynamos
- 4-minute standlight function
- Long-life LED technology



Front lighting

SafeRide LED BikeLight 60

Dynamo-driven

Standard bicycle light 10 lux



SafeRide LED BikeLight 60 lux



Front lighting

SafeRide LED BikeLight 80

Battery-driven
Black & white edition



Standard bicycle light 10 lux



SafeRide LED BikeLight 80 lux



Light performance

- 7x more light on the road
- Crystal-white light 5 500 K
- Powered by 2 new generation high-power LUXEON® LEDs
- 80 lux at 10 meters
- Up to 60 meters uniform motorcycle-lighting performance
- Extra wide 50° illumination
- Glare-free beam
- SafeRide powerful foreground illumination

Design

- High efficiency reflector
- Simple to install, simple to use
- Robust, waterproof aluminum housing

User benefits

- Long-life LED technology
- StVZO compliant
- Available in black and white



Standard bicycle light 10 lux



SafeRide LED BikeLight 80 lux



Light performance

- 7x more light on the road
- Crystal light 5 500 K
- Powered by 2 new generation high-power LUXEON® LEDs
- 80 lux at 10 meters
- Up to 60 meters uniform motorcycle-lighting performance
- Extra wide 50° illumination
- Glare-free beam
- SafeRide powerful foreground illumination

Design

- High efficiency reflector
- Simple to install, simple to use
- Robust, waterproof aluminum housing

User benefits

- Long-life LED technology
- StVZO compliant

Front lighting

SafeRide LED BikeLight 80

Pedelec-driven

Safety vision

ActiveRide

Battery-driven
dual beam 800
with silicon battery pack

New



Light performance

- Crystal-white light (5 000 K)
- Powered by 4 new generation high-power LUXEON® LEDs

Dual beam pattern

- Maximum off-road illumination 70 lux at 10 meters
- 800 lm
- Comfortable on-road beam 50 lux at 10 meters

Design

- High-efficiency reflector
- Flexible battery pack for easy mounting and 3 axis bracket
- Aluminum housing with rubber protection

User benefits

- Robust extreme sport solution:
- Water-resistant IP63
- Shock and dust resistant IK06
- Long-life LED technology
- StVZO anti-glare regulation compliant



ActiveRide dual beam
silicon battery pack



BikeLight accessory

3D axis handlebar bracket

Mounting accessory for all dynamo and battery-driven Philips LED BikeLights



- Fits nearly all diameter tubes (21-32 mm)

Compatible with:

- ActiveRide battery-driven Dual Beam 800
- SafeRide battery-driven 80
- SafeRide battery-driven 40

3D axis

- With left/right angle adjustable bracket
- Tool-free mounting
- Simple to adjust



Rear lighting

LED RearLight LumiRing

Dynamo-driven





- Premium design
- Unique Philips lighting signature
- 320° visibility with unique Lightguide technology
- Simple to install, simple to use
- Fits standard 50 and 80 mm racks
- Compatible with all dynamos
- Standlight function
- No maintenance
- Long-life LED technology
- Waterproof
- StVZO compliant



Rear lighting

LED RearLight LumiRing

Battery-driven



- Premium design
- Unique Philips lighting signature
- 320° visibility with unique lightguide technology
- Simple to install, simple to use
- Fits standard 50 and 80 mm racks
- Long-life LED technology
- Waterproof
- Version without blinking mode: StVZO compliant.
- Version with blinking mode: StVZO non-compliant*

*In certain European countries it is illegal to ride with a blinking rear light. Be sure to check the regulations in your country.

Rear lighting

LED RearLight LightRing

Dynamo-driven
Battery-driven

New



Battery version



Dynamo version

- Color LED (battery version)
- Dual mounting possibilities
- Multi-version:
 - high autonomy battery non-blinking
 - high autonomy battery blinking
 - universal dynamo
- 220° visibility with LightRing technology
- Simple and robust mounting



220° LightRing

*In certain European countries it is illegal to ride with a blinking rear light. Be sure to check the regulations in your country.

Visit our LED BikeLight website
www.philips.co.uk/bikelight



LED BikeLight

Dual beam 800 battery-driven with silicon battery pack



Ordering number	GOC	EAN1	EAN 3	Packing quantity
AR800DBLX1	38736033	8 727900 387360	8727900387377	2

LED BikeLight 80 battery-driven



Ordering number	GOC	EAN1	EAN 3	Packing quantity
SRFB80BLX1	38760533	8 727900 387605	8727900387612	2
SRFB80WHX1	38762933	8 727900 387629	8727900387636	2
SRFB80BBX1	38764333	8 727900 387643	8727900387650	2

LED BikeLight 40 battery-driven



Ordering number	GOC	EAN1	EAN 3	Packing quantity
SRFB40BLX1	35147733	8 727900 351477	8727900351484	2

LED BikeLight 60 dynamo-driven



Ordering number	GOC	EAN1	EAN 3	Packing quantity
BF60L60BALX1	35053133	8 727900 350531	8727900350548	2
BF60L60BBLX1	35055533	8 727900 350555	8727900350562	2

LED BikeLight 40 dynamo-driven



Ordering number	GOC	EAN1	EAN 3	Packing quantity
SRFD40BLSX1	35143933	8 727900 351439	8727900351446	2

3D axis handlebar bracket



Ordering number	GOC	EAN1	EAN 3	Packing quantity
BA003X1	39962230	8 727900 399622	8727900399639	10

LED RearLight LumiRing battery-driven



Ordering number	GOC	EAN1	EAN 3	Packing quantity
SRRBLRBNBX1	35137828	8 727900 351378	8727900351385	5
SRRBLRBBX1	35139228	8 727900 351392	8727900351408	5

LED RearLight LightRing battery-driven



Ordering number	GOC	EAN1	EAN 3	Packing quantity
SRRBLGBLX1	38742131	8 727900 387421	8727900387438	5
SRRBLGBLBX1	38740731	8 727900 387407	8727900387414	5

LED RearLight LumiRing dynamo-driven



Ordering number	GOC	EAN1	EAN 3	Packing quantity
SRRDLRBLX1	35141528	8 727900 351415	8727900351422	5

LED RearLight LightRing dynamo-driven



Ordering number	GOC	EAN1	EAN 3	Packing quantity
SRRDLGBLX1	38744531	8 727900 387445	8727900387452	5

Seatpost holder



Ordering number	GOC	EAN1	EAN 3	Packing quantity
Seatpost Holder BA002B1	39914130	8 727900 399141	8727900399158	10



LED inspection lamps



We are proud to present two important innovations to our already popular **LED inspection lamps range**: Philips **Penlight Premium**, a handy, lightweight, and powerful LED focus light to illuminate any work area with precision. It's USB rechargeable too! Discover the new Philips **Multidirectional lighting system**, an important addition to every professional working environment, where virtually all shadows are eliminated. **Work simply with the power of light.**

See clearly. Work better.

LED Penlight


Battery-driven

The LED Penlight inspection lamp is compact and easy to operate in confined spaces.

Seven high-performance, long-lasting LEDs produce a powerful light where needed the most.



- 7 powerful, high-quality, long-lasting LEDs
- White and very intense light (10 000 K)
- Light intensity (at 0.5 m):
LED pointer 85 lux
Main light 250 lux
- Ingress protection rating - IP54
- Solvent and chemical resistant
- 3 Philips AAA batteries included
- Up to 11 hours operation time




New

See clearly. Work better.

LED Penlight Premium

The portable worker's companion that combines high-power LUXEON® Rebel LED technology with a user-friendly design in a compact size.



- 5 high-power LUXEON® LEDs
- Light intensity (at 0.5 m):
LED pointer 3 600 lux
Wide beam 250 lux
- Ingress protection rating - IP54
- Impact protection rating - IK07
- Solvent and chemical resistant
- Handy rotating magnet
- LFP technology battery rechargeable by USB (5V-12V>1A USB cable)
100-240V adaptor
- Up to 6 hours operation time




See clearly. Work better.

LED Inspection lamp multivoltage

100~240V or 24V

Philips LED Inspection lamp - 100~240V or 24V versions - contain 45 powerful LEDs that produce natural, yet very intense light that can illuminate a large area. Its slim design allows it to reach even the narrowest of spaces.

- 45 powerful, high-quality, long-lasting LEDs
- Natural, very intense light (7 000 K)
- 2 400 lux at 0.5 meters
- Wide-angle illumination
- Ingress protection rating - IP54
- Impact protection rating - IK07
- Solvent and chemical resistant
- 10-meter cable
- Slim design allows for easy inspection of confined spaces
- Multi-angle adjustable and retractable hook
- Soft grip
- 100~240V or 24V



- 15 powerful, high-quality, long-lasting LEDs
- Natural, very intense light (7 000 K)
- 1 200 lux at 0.5 meters
- UV-A pointer
- Ingress protection rating - IP66
- Impact protection rating - IK09
- Solvent and chemical resistant
- Retractable hook
- Clip-on magnetic holder
- Rechargeable via docking station
- Up to 6 hours operation time



See clearly. Work better.

LED Inspection lamp

with docking station

15 high-powered LEDs produce 1 200 lux of natural bright white light. A rechargeable battery allows cordless use. The additional UV-light can, for example, detect leaks in air conditioning systems. A handy magnetic holder helps to project the light wherever necessary. Works for up to 6 hours on a single charge.

See clearly. Work better.

LED Multidirectional lighting system with docking station

The all-in-one lighting solution represents a new generation of inspection lamps, designed for professionals*.



*Only available in selected countries. Please ask your local Philips representative.



- High-power LUXEON® LEDs
- Light intensity per module at 0.5 m:
Normal mode 600 lux
Boost mode 1 200 lux
- Light intensity - 3 modules at 0.5 m:
Normal mode 1 800 lux
Boost mode 3 600 lux
- Ingress protection rating - IP54
- Impact protection rating - IK07
- 360° rotating magnet
- 300° rotating head
- 90° rotating lens
- Module recall function - 20 m
- Rechargeable on docking station
- Battery performance:
Normal mode - up to 6 hours
Boost mode - up to 3 hours



LED Inspection lamps 22001 / 22002 / 24203 / LPL02 / LPL03 / LPL04 / LPL05 / LPL07

LED Penlight



Ordering number	V	GOC	EAN1	EAN 3	Packing quantity
LPL02B6LPB1	EN/DE	38324931	8 727900 383249	8727900383256	6
LPL02B6LPB1	EN/FR	38450531	8 727900 384505	8727900384512	6

LED Penlight Premium



Ordering number	V	GOC	EAN1	EAN 3	Packing quantity
LPL03RECHX1	EU plug	38752033	8 727900 387520	8727900387537	2
LPL04RECHX1	UK plug	38754433	8 727900 387544	8727900387551	2

LED Inspection lamp multivoltage



Ordering number	V	GOC	EAN1	EAN 3	Packing quantity
22002X1	110-240 EU plug	38331733	8 727900 383317	8727900383324	2
22002X1	110-240 UK plug	38333133	8 727900 383331	8727900383348	2
24203X1	24 plug	38452933	8 727900 384529	8727900384536	2

LED Inspection lamp with docking station



Ordering number	V	GOC	EAN1	EAN 3	Packing quantity
22001UVX1	220	38326333	8 727900 383263	8727900383270	2

LED Multidirectional lighting system



Ordering number	V	GOC	EAN1	EAN 3	Packing quantity
LPL05SPAREX1	100-240	38766733	8 727900 387667	8727900387674	2
LPL073MODX1	100-240	38770466	8 727900 387704	8727900387711	1

Sales tools

To help you to find the product that best matches your customers' needs, we have developed a range of sales support tools.

LED DayLight



LED Daytime Running Lights trade leaflet



LED Daytime Running Lights application guide



LED DayLight 4 counter display



LED DayLight 4 floor display



LED DayLight 4 and LED DayLight 8 in-store testers



24V LED MasterLife DayLight 8 in-store tester

Lighting 12V



Trade leaflets



LongLife EcoVision counter display



12V application guide



X-tremeVision / BlueVision ultra counter display



ProCar - ordering information, see page 78

Bus and truck 24V



24V wall dispenser



24V clip-strip



ProTruck - ordering information, see page 78

Two-wheelers



Counter display



Consumer leaflet



Which two-wheeler lamp do you need? poster

Inspection lamps



LED inspection lamps leaflet



LED inspection lamps floor display



LED PenLight counter display / in-store tester

Philips ProCar



ProCar				
Description	Dimensions and weight	12NC	EAN3	GOC*
ProCar 12V	715 x 620 x 235 mm / 10.5 kg	925503049701	8711500488688	48867166

ProCar content				
Description	V	W	Ordering number	Qty
H1 PR	12V	55W	12258PR	10
H3 PR	12V	55W	12336PR	10
H4 PR	12V	60/55W	12342PR	10
H7 PR	12V	55W	12972PR	20
H7 LL	12V	55W	12972LL	10
W1,2W	12V	1.2W	12516CP	20
W5W	12V	5W	12961CP	20
WY5W	12V	5W	12396CP	10
C10W	12V	10W	12866CP	10
C5W	12V	5W	12844CP	10
P21W	12V	21W	12498CP	20
PY21W	12V	21W	12496CP	10
P21/5W	12V	21/5W	12499CP	20
P21/4W	12V	21/4W	12594CP	10
R5W	12V	5W	12821CP	20
R10W	12V	10W	12814CP	20
T4W	12V	4W	12929CP	20

Philips ProTruck



ProTruck				
Description	Dimensions and weight	12NC	EAN3	GOC*
ProTruck Display	704 x 600 x 180 mm / 10.5 kg	925506008801	8711500489340	48933366

ProTruck content				
Description	V	W	Ordering number	Qty
H1 MasterDuty 24V	24V	70W	13258 MDC1	10
H3 MasterDuty 24V	24V	70W	13336 MDC1	20
H4 MasterDuty 24V	24V	75/70W	13342 MDC1	10
H7 MasterDuty 24V	24V	70W	13972 MDC1	10
P21W 24V BA15s	24V	21W	13498 CP	20
P21/5W 24V BAY15d	24V	21/5W	13499 CP	10
PY21W 24V HDLL BAU15s	24V	21W	13496 HDLL CP	10
C10W 24V 10,5x43	24V	10W	13866 CP	10
C5W 24V 11x35	24V	5W	13844 CP	10
C5W 24V 10,5x43	24V	5W	13864 CP	10
R10W 24V BA15s	24V	10W	13814 CP	10
R5W 24V BA15s	24V	5W	13821 CP	20
W5W 24V	24V	5W	13961 CP	20
W3W 24V	24V	3W	13256 CP	10
W1,2W 24V	24V	1.2W	13516 CP	10
T4W 24V BA9s	24V	4W	13929 CP	20
Bax 1,2W 24V 8,3s grey	24V	1.2W	13597 CP	10
Bax 1.2W 24V 8,5d grey	24V	1.2W	13598 CP	10
Bax 1.2W 24V 8,5d/2 yellow	24V	1.2W	24029 CP	10

* Global ordering code

Packaging

Packaging combines simplicity, consistency and ease-of-use, thus answering the requirements of today's consumers.

Our product packaging is designed to draw the attention of your customers to the different solutions we propose. It also helps you to identify the products quickly.



Mobility packaging

Special pack

Philips innovative design at customer service. Holds two headlamps.



Blister pack

Philips blister packs hold one headlamp or two signaling lamps.




Commercial box


Philips commercial packs are dedicated to professionals and designed for easy storage, identification and handling.



Lamp drawings



Lamp drawings



Base drawings



SV6
IEC 7004-5



SV8,5-8
IEC 7004-81



W2x4,6d
IEC 7004-94




W2,1x9,5d
IEC 7004-91



W3x16d
IEC 7004-105



W3x16q
IEC 7004-106



WX3x16d
IEC 7004-105




BAX 9s
IEC 7004-8




BAY 9s
IEC 7004-9




BA 9s
IEC 7004-14



BA 15s
IEC 7004-11A




BA 15d
IEC 7004-11A




BAU 15s
IEC 7004-11A




BAY 15d
IEC 7004-11B




BAW 15s
IEC 7004-11E11



BAZ 15d
IEC 7004-11C




P43t-38
IEC 7004-39




PX43t




P45t-41
IEC 7004-95




P20d - PY20d
IEC 7004-31



P22d
IEC 7004-32



PG13
IEC 7004-107



PGJ13
IEC 7004-107




PGJ19-1
IEC 7004-110




PGJ19-2
IEC 7004-110




PGJ19-5
IEC 7004-110




P14,5s
IEC 7004-46




X511
IEC 7004-99




P26s




PX26d,4t
IEC 7004-128-2



PX26d
IEC 7004-5




P32d
IEC 7004-111




PK32d
IEC 7004-111




P29t - PX29t
IEC 7004-66



PK22s
IEC 7004-47




BAX8,3S




BAX8,5D




BX8,5d



B8,4d BX8,4d



B10d



W2,1x9,5D

Product index

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN3	Page
Daytime Running Lights (DRL)									
12820	LED DayLight 4	White LED	12	6	Click 2	70434145	8727900704341	8727900704358	11
12810	LED Daytime Lights	White LED	12	6.8	Click 1	69916628	8727900699166	8727900699173	11
12824	LED DayLight 8	White LED	12	7.7	Click 2	70436533	8727900704365	8727900704372	11
12825	LED DaylightGuide	White LED	12	6		38638733	8727900386387	8727900386394	11
19827	LED DayLight Mounting frame for Peugeot 207					78808566	8711500788085	8711500788092	11
19828	LED DayLight Mounting frame for Peugeot 308					78810866	8711500788108	8711500788115	11
19829	LED DayLight Mounting frame for Opel Astra H					78812266	8711500788122	8711500788139	11
19830	LED DayLight Mounting frame for Opel Corsa D					78814666	8711500788146	8711500788153	11
24824	LED MasterLife DayLight 8	White LED	24	6.5	Click 2	38170233	8727900381702	8727900381719	11
Interior Lighting									
12964	WBT10 1LED		12	1	W2.1X9.5D	70346730	8727900703474	8727900703467	15
12966	WBT10 1LED		12	1	W2.1X9.5D	70344330	8727900703450	8727900703443	15
12932	WBT10 LED		12	1	W2.1X9.5D	38692930	8727900386929	8727900386936	15
12933	WBT10 LED GEN2		12		W2.1X9.5D	38684430	8727900386844	8727900386851	15
12934	WBT10 LED GEN2		12		W2.1X9.5D	38686830	8727900386868	8727900386875	15
12935	WBT10 LED GEN2		12		W2.1X9.5D	38708730	8727900387087	8727900387094	15
12940	Fest 14x30 LED		12	1	SV8,5	38724730	8727900387247	8727900387254	15
12858	Fest 10,5x38 2LED		12	1	SV8,5	70340530	8727900703412	8727900703405	15
12945	Fest 10,5x43 LED		12	1	SV8,5	38343030	8727900383430	8727900383447	15
12941	Fest 14x30 LED		12	1	SV8,5	38722330	8727900387223	8727900387230	16
12859	Fest 10,5x38 2LED		12	1	SV8,5	70338230	8727900703399	8727900703382	16
12946	Fest 10,5x43 LED		12	1	SV8,5	38341630	8727900383416	8727900383423	16
Xenon lighting									
85415	D1S	Vision	85	35	PK32d-2	36489733	8727900364897	8727900364903	21
85415	D1S	Vision	85	35	PK32d-2	36473633	8727900364736	8727900364743	21
85409	D1R	Vision	85	35	PK32d-3	36475033	8727900364750	8727900364767	21
85415	D1S	BlueVision ultra	85	35	PK32d-2	36546733	8727900365467	8727900365443	21
85415	D1S	X-tremeVision	85	35	PK32d-2	36458333	8727900364583	8727900364613	21
85415	D1S	X-tremeVision	85	35	PK32d-2	36441533	8727900364415	8727900364439	21
85122	D2S	Vision	85	35	P32d-2	36491033	8727900364910	8727900364927	21
85122	D2S	Vision	85	35	P32d-2	36477433	8727900364774	8727900364781	21
85126	D2R	Vision	85	35	P32d-3	36493433	8727900364934	8727900364941	21
85126	D2R	Vision	85	35	P32d-3	36479833	8727900364798	8727900364804	21
85122	D2S	BlueVision ultra	85	35	P32d-2	36552833	8727900365528	8727900365535	22
85122	D2S	BlueVision ultra	85	35	P32d-2	36545033	8727900365450	8727900365474	22
85126	D2R	BlueVision ultra	85	35	P32d-3	36554233	8727900365542	8727900365559	22
85126	D2R	BlueVision ultra	85	35	P32d-3	36548133	8727900365481	8727900365498	22
85122	D2S	X-tremeVision	85	35	P32d-2	36462033	8727900364620	8727900364637	22
85122	D2S	X-tremeVision	85	35	P32d-2	36444633	8727900364446	8727900364453	22
85126	D2R	X-tremeVision	85	35	P32d-3	36464433	8727900364644	8727900364651	22
85126	D2R	X-tremeVision	85	35	P32d-3	36446033	8727900364460	8727900364477	22
42403	D3S	Vision	42	35	PK32d-5	36495833	8727900364958	8727900364965	22
42403	D3S	Vision	42	35	PK32d-5	36481133	8727900364811	8727900364828	22
42306	D3R	Vision	42	35	PK32d-6	36483533	8727900364835	8727900364842	22
42403	D3S	X-tremeVision	42	35	PK32d-5	36466833	8727900364668	8727900364675	22

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN3	Page
42403	D3S	X-tremeVision	42	35	PK32d-5	36448433	8727900364484	8727900364491	22
42402	D4S	Vision	42	35	P32d-5	36485933	8727900364859	8727900364866	22
42406	D4R	Vision	42	35	P32d-6	36487333	8727900364873	8727900364880	22
12V Headlighting									
12258	H1	Premium	12	55	P14,5s	47516930	8711500475169	8711500475176	30
12258	H1	Premium	12	55	P14,5s	47518360	8711500475183	8711500475190	30
12258	H1	Vision Plus	12	55	P14,5s	36322728	8727900363227	8727900363210	30
12258	H1	Vision Plus	12	55	P14,5s	36320330	8727900363203	8727900363197	30
12258	H1	X-tremeVision	12	55	P14,5s	36064628	8727900360646	8727900360653	30
12258	H1	X-tremeVision	12	55	P14,5s	36067730	8727900360677	8727900360684	30
12258	H1	LongLife EcoVision	12	55	P14,5s	36255828	8727900362558	8727900362565	30
12258	H1	LongLife EcoVision	12	55	P14,5s	36196430	8727900361964	8727900361971	30
12258	H1	LongLife EcoVision	12	55	P14,5s	36187260	8727900361872	8727900361889	30
12258	H1	BlueVision ultra	12	55	P14,5s	36062228	8727900360622	8727900360639	30
12258	H1	BlueVision ultra	12	55	P14,5s	36069130	8727900360691	8727900360707	30
12258	H1	Spot	12	55	P14,5s	40460260	8711500404602	8711500474865	30
12311	H2		12	55	X511	47752160	8711500477521	8711500416070	30
12336	H3	Premium	12	55	PK22s	69561130	8711500695611	8711500695628	31
12336	H3	Premium	12	55	PK22s	69534560	8711500695345	8711500695352	31
12336	H3	LongLife EcoVision	12	55	PK22s	77704160	8711500777041	8711500777058	31
12336	H3	BlueVision ultra	12	55	PK22s	77688430	8711500776884	8711500776891	31
12342	H4	Premium	12	60/55	P43t-38	47480330	8711500474803	8711500474810	31
12342	H4	Premium	12	60/55	P43t-38	49099560	8711500490995	8711500490988	31
12342	H4	Vision Plus	12	60/55	P43t-38	39925728	8727900399257	8727900399240	31
12342	H4	Vision Plus	12	60/55	P43t-38	39934930	8727900399349	8727900399332	31
12342	H4	X-tremeVision	12	60/55	P43t-38	35024128	8727900350241	8727900350258	31
12342	H4	X-tremeVision	12	60/55	P43t-38	35038830	8727900350388	8727900350395	31
12342	H4	LongLife EcoVision	12	60/55	P43t-38	36257228	8727900362572	8727900362589	31
12342	H4	LongLife EcoVision	12	60/55	P43t-38	36198830	8727900361988	8727900361995	31
12342	H4	LongLife EcoVision	12	60/55	P43t-38	36189660	8727900361896	8727900361919	31
12342	H4	BlueVision ultra	12	60/55	P43t-38	35034028	8727900350340	8727900350357	31
12342	H4	BlueVision ultra	12	60/55	P43t-38	35030230	8727900350302	8727900350319	31
12972	H7	Premium	12	55	PX26d	40607130	8711500406071	8711500406088	32
12972	H7	Premium	12	55	PX26d	40593760	8711500405937	8711500405944	32
12972	H7	Vision Plus	12	55	PX26d	39938728	8727900399387	8727900399370	32
12972	H7	Vision Plus	12	55	PX26d	39936330	8727900399363	8727900399356	32
12972	H7	X-tremeVision	12	55	PX26d	35026528	8727900350265	8727900350272	32
12972	H7	X-tremeVision	12	55	PX26d	35040130	8727900350401	8727900350418	32
12972	H7	LongLife EcoVision	12	55	PX26d	36259628	8727900362596	8727900362602	32
12972	H7	LongLife EcoVision	12	55	PX26d	36200830	8727900362008	8727900362015	32
12972	H7	LongLife EcoVision	12	55	PX26d	36192660	8727900361926	8727900361933	32
12972	H7	BlueVision ultra	12	55	PX26d	35036428	8727900350364	8727900350371	32
12972	H7	BlueVision ultra	12	55	PX26d	35032630	8727900350326	8727900350333	32
12360	H8		12	35	PGJ19-1	82416530	8711500824165	8727900362909	32
12360	H8		12	35	PGJ19-1	47582444	8711500475824	8711500490681	32
12361	H9		12	65	PGJ19-5	36308130	8727900363081	8727900363098	32

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN3	Page
12361	H9		12	65	PGJ19-5	47584844	8711500475848	8711500490698	32
12362	H11	Premium	12	55	PGJ19-2	36428630	8727900364286	8727900364293	32
12362	H11	Premium	12	55	PGJ19-2	36430944	8727900364309	8727900364316	32
12362	H11	LongLife EcoVision	12	55	PGJ19-2	36310430	8727900363104	8727900363111	33
12362	H11	LongLife EcoVision	12	55	PGJ19-2	36194044	8727900361940	8727900361957	33
12362	H11	BlueVision ultra	12	55	PGJ19-2	36216930	8727900362169	8727900362176	33
9012	HIR2	LongerLife	12	55	PX22d	35125533	8727900351255	8727900351262	33
9008	H13		12	60/55	P26,4t	87798760	8711500877987	8711500243652	33
9005	HB3	Premium	12	65	P20d	24724730	8711500247247	8711500247254	33
9005	HB3	Premium	12	65	P20d	24689960	8711500246899	8711500246905	33
9005	HB3	BlueVision ultra	12	65	P20d	35097530	8727900350975	8727900350999	33
9006	HB4	Premium	12	55	P22d	24726130	8711500247261	8711500247278	33
9006	HB4	Premium	12	55	P22d	24687560	8711500246875	8711500246882	33
9006	HB4	BlueVision ultra	12	55	P22d	35100230	8727900351002	8727900351019	33
9145	H10		12	45	PY20d	52974560	8711559529745	8711559529769	34
9007	HB5		12	65/55	PX29t	24550260	8711500245502	8711500245526	34
12620	R2		12	45/40	P45t-41	05543930	8711500055439	8711559525327	34
12620	R2		12	45/40	P45t-41	40085760	8711500400857	8711500414755	34
12475	Halogen R2		12	45/40	P45t-41	24716230	8711500247162	8711500247179	34
12475	Halogen R2		12	45/40	P45t-41	40466460	8711500404664	8711559514475	34
12V signaling and interior lighting									
12498	P21W	Vision Plus	12	21	BA15s	36318030	8727900363180	8727900363173	34
12498	P21W	LongLife EcoVision	12	21	BA15s	38210530	8727900382105	8727900382112	34
12498	P21W	LongLife EcoVision	12	21	BA15s	38198673	8727900381986	8727900382006	34
12498	P21W		12	21	BA15s	5549130	8711500055491	8711559520131	34
12498	P21W		12	21	BA15s	49078073	8711500490780	8711500490803	34
12594	P21/4W		12	21/4	BAZ15d	40485530	8711500404855	8711500471017	35
12594	P21/4W		12	21/4	BAZ15d	48433873	8711500484338	8711500484352	35
12499	P21/5W	Vision Plus	12	21/5	BAY15d	36316630	8727900363166	8727900363159	35
12499	P21/5W	LongLife EcoVision	12	21/5	BAY15d	38212930	8727900382129	8727900382136	35
12499	P21/5W	LongLife EcoVision	12	21/5	BAY15d	38201373	8727900382013	8727900382037	35
12499	P21/5W		12	21/5	BAY15d	05545330	8711500055453	8711559520148	35
12499	P21/5W		12	21/5	BAY15d	48159773	8711500481597	8711500481610	35
12495	PR21/5W		12	21/5	BAW15d	48873273	8711500488732	8711500488756	35
12496	PY21W	SilverVision	12	21	BAU15s	47982230	8711500479822	8711500479839	35
12496	PY21W	SilverVision	12	21	BAU15s	31117730	8711500311177	8711500311191	35
12496	PY21W	LongLife EcoVision	12	21	BAU15s	38218173	8727900382181	8727900382204	35
12496	PY21W	Amber	12	21	BAU15s	52372930	8711559523729	8711559523743	35
12496	PY21W	Amber	12	21	BAU15s	52534173	8711559525341	8711559525365	35
12088	PR21W		12	21	BAW15s	48531173	8711500485311	8711500485762	36
12413	Stop T16		12	15	BA15s	87811373	8711500878113	8711500878137	36
12401	Stop P22		12	15	BA15s	87821273	8711500878212	8711500878236	36
12445	Stop P25		12	18	BA15s	48440673	8711500484406	8711500484420	36
12821	R5W	LongLife EcoVision	12		BA15s	38208230	8727900382082	8727900382099	36
12821	R5W	LongLife EcoVision	12		BA15s	38195573	8727900381955	8727900381979	36
12821	R5W		12	5	BA15s	5546030	8711500055460	8711500417701	36

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN3	Page
12821	R5W		12	5	BA15s	48269373	8711500482693	8711500482716	36
12822	R5W		12	5	BA15d	45407273	8711500454072	8711500408976	36
12814	R10W		12	10	BA15s	5547730	8711500055477	8711500417718	36
12814	R10W		12	10	BA15s	48341673	8711500483416	8711500483430	36
12093	RY10W	Amber	12	10	BAU15s	48362173	8711500483621	8711500483645	37
12956	CEA		12	5		38345430	8727900383454	8727900383461	37
12061	W2,3W		12	2.3	W2x4,6d	48330073	8711500483300	8711500483324	37
12505	W2W		12	2	W2x4,6d	48327073	8711500483270	8711500483294	37
12516	W1,2W		12	1.2	W2x4,6d	5554530	8711500055545	8711500417763	37
12516	W1,2W		12	1.2	W2x4,6d	48153573	8711500481535	8711500481559	37
12521	WBT5		12	1	W2x4,6d	48321873	8711500483218	8711500483232	37
12256	W3W		12	3	W2,1x9,5d	52410830	8711559524108	8711559524122	37
12256	W3W		12	3	W2,1x9,5d	48144373	8711500481443	8711500481467	37
12960	W2,2W		12	2.2	W2,1x9,5d	48150473	8711500481504	8711500481528	37
12961	W5W	BlueVision	12	5	W2,1x9,5d	31029330	8711500310293	8711559523774	37
12961	W5W	LongLife EcoVision	12	5	W2,1x9,5d	38204430	8727900382044	8727900382051	37
12961	W5W	LongLife EcoVision	12	5	W2,1x9,5d	38189473	8727900381894	8727900381917	37
12961	W5W		12	5	W2,1x9,5d	40421330	8711500404213	8711559520070	37
12961	W5W		12	5	W2,1x9,5d	49090273	8711500490902	8711500490926	37
12396	WY5W	Amber	12	5	W2,1x9,5d	40058130	8711500400581	8711500400598	38
12396	WY5W	Amber	12	5	W2,1x9,5d	53002473	8711559530024	8711559530048	38
12040	WBT10		12	6	W2,1x9,5d	52416030	8711559524160	8711559524184	38
12067	W16W		12		W2,1x9,5d	40587630	8711500405876	8711559521053	38
12067	W16W		12	16	W2,1x9,5d	48272373	8711500482723	8711500482747	38
12065	W21W		12		W3x16d	70146330	8727900701463	8727900701470	38
12065	W21W		12	21	W3x16d	47135273	8711500471352	8711500471376	38
12066	W21/5W		12	21/5	W3x16q	69739130	8727900697391	8727900697407	38
12066	W21/5W		12	21/5	W3x16q	47138373	8711500471383	8711500471505	38
12071	WY21W		12	21	WX3x16d	69741430	8727900697414	8727900697421	38
12071	WY21W		12	21	WX3x16d	52539673	8711559525396	8711559525419	38
12818	Fest T6,2x27		12	3	SV6	48461173	8711500484611	8711500484635	38
12848	Fest T6,2x35		12	3	SV6	48467373	8711500484673	8711500484697	38
12844	C5W		12	5	SV8,5	5551430	8711500055514	8711500417749	39
12844	C5W		12	5	SV8,5	48156673	8711500481566	8711500481580	39
12860	Fest T10,5x30	LongLife EcoVision	12	10	SV8,5	38192473	8727900381924	8727900381948	39
12854	Fest T10,5x38		12	10	SV8,5	48248873	8711500482488	8711500482501	39
12864	Fest T10,5x43		12	5	SV8,5	48205173	8711500482051	8711500482327	39
12866	Fest T10,5x43		12	10	SV8,5	5552130	8711500055521	8711500417756	39
12866	Fest T10,5x43		12	10	SV8,5	48242673	8711500482426	8711500482440	39
12850	Fest T15x43		12	15	SV8,5	48285373	8711500482853	8711500482877	39
12910	T3W		12	3	BA9s	21949773	8711500219497	8711500219510	39
12913	T2W		12	2	BA9s	21997873	8711500219978	8711500219992	39
12929	T4W	BlueVision	12		BA9s	31031630	8711500310316	8711500310392	39
12929	T4W		12	4	BA9s	5550730	8711500055507	8711559520094	39
12929	T4W		12	4	BA9s	21979473	8711500219794	8711500219817	39
12036	H6W	BlueVision	12	6	BAX9s	24567030	8711500245670	8711500245687	40

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN3	Page
12036	H6W	BlueVision ultra	12	6	BAX9s	87609673	8711500876096	8711500876119	40
12036	H6W		12	6	BAX9s	24720930	8711500247209	8711500247216	40
12036	H6W		12	6	BAX9s	87603473	8711500876034	8711500876058	40
55502	BaxTool Box 12V	Garage kit	12			69717928	8727900697179	8727900697230	40
12597	Bax		12	1.2	BAX8,3s/1,35 black	53018530	8711559530185	8711559530192	40
12597	Bax		12	1.2	BAX8,3s/1,35 black	48365273	8711500483652	8711500483676	40
12602	Bax		12	2	BAX8,3s/1,5 blue	48396673	8711500483966	8711500483980	40
12598	Bax		12	1.2	BAX8,5d/2 black	40588330	8711500405883	8711500405890	40
12598	Bax		12	1.2	BAX8,5d/2 black	48387473	8711500483874	8711500483898	40
12603	Bax		12	1.2	BAX8,5d/1,5 blue	48399773	8711500483997	8711500484017	40
12600	Bax		12	2	BAX8,5d/2 y-green	48393573	8711500483935	8711500483959	40
12604	Bax		12	2	B8,5d green	40508173	8711500405081	8711500309662	40
12637	Bax		12	1.5	B8,5d beige	51487173	8711559514871	8711559512471	41
12615	Bax		12	5	B10d Black	52807673	8711559528076	8711500244147	41
12614	Bax		12	3	B10d Brown	52805273	8711559528052	8711559513409	41
12623	Bax		12	1.2	B8,4d light blue	51384373	8711559513843	8711500244413	41
12627	Bax		12	1.5	BX8,4d beige	51414773	8711559514147	8711500400093	41
12629	Bax		12	1.8	BX8,4d beige	51488873	8711559514888	8711559512716	41
12625	Bax		12	1.2	BX8,4d black	51409373	8711559514093	8711500244444	41
12626	Bax		12	2	BX8,4d light green	51412373	8711559514123	8711500246073	41
12628	Bax		12	1.3	BX8,4d olive green	77432373	8711500774323	8711500774347	41
12624	Bax		12	1.1	BX8,4d orange	51411673	8711559514116	8711500245144	41
12638	Bax		12	1.12	BX8.5D White	48846673	8711500488466	8711500488480	41
12023	H5W		12	5	BA9s	51270973	8711559512709	8711559514864	42
12024	H10W		12	10	BA9s	52941773	8711559529417	8711559529844	42
12025	H20W		12	20	BA9s	87600373	8711500876003	8711500876027	42
12356	H21W		12	21	BA9s	87989973	8711500879899	8711500879912	42
12146	HY21W		12	21	BAW9s	35244373	8727900352443	8727900352467	42
12059	H27W/1		12	27	PG13	52854073	8711559528540	8711559528564	42
12060	H27W/2		12	27	PGJ13	52857173	8711559528571	8711559528595	42
12277	P13W		12	13	PG18.5d-1	69672133	8727900696721	8727900699388	42
12085	PS19W		12	19	PG20/1	69653033	8727900696530	8727900699326	42
12085	PS19W	LongerLife	12		PG20/1	70046633	8727900700466	8727900700473	42
12275	PSY19W	Amber	12	19	PG20/2	52735233	8711559527352	8727900699364	43
12086	PS24W	Front fog light	12	24	PG20/3	70044233	8727900700442	8727900700459	43
12276	PSX24W		12	24	PG20/7	69676933	8727900696769	8727900699395	43
12190	PY24W	Amber	12		PGU20/4	69690533	8727900696905	8727900699357	43
12274	PY24W	SilverVision Plus	12	24	PGU20/4	69678333	8727900696783	8727900699371	43
12188	PSY24W	Amber	12	24	PG20/4	69668433	8727900696684	8727900699340	43
12180	PSY24W	SilverVision Plus	12	24	PG20/4	70379533	8727900703795	8727900703801	43
55472	KIT H1	Easy Kit	12			69551928	8727900695519	8727900695533	43
55473	KIT H4	Easy Kit	12			69555728	8727900695557	8727900695571	43
55474	KIT H7	Easy Kit	12			69558828	8727900695588	8727900695601	43
55475	KIT H1/H7	Easy Kit	12			69562528	8727900695625	8727900695656	43
55476	KIT R2	Easy Kit	12			69566328	8727900695663	8727900695687	43
55005	KIT H4	Single Kit	12			52730730	8711559527307	8711559527246	44

Product index

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN3	Page
55007	KIT H7	Single Kit	12			52732130	8711559527321	8711559527215	44
55008	KIT H1	Single Kit	12			52731430	8711559527314	8711559527222	44
55010	KIT H1/H7	Single Kit	12			30999030	8711500309990	8711500310163	44
55717	KIT H1	Essential Box	12			70032928	8727900700329	8727900700336	44
55718	KIT H4	Essential Box	12			70034328	8727900700343	8727900700350	44
55719	KIT H7	Essential Box	12			70036728	8727900700367	8727900700374	44
55720	KIT H1/H7	Essential Box	12			70038128	8727900700381	8727900700398	44
55721	KIT R2	Essential Box	12			70040428	8727900700404	8727900700411	44
24V Bus and Truck lighting									
13258	H1	MasterLife	24	70	P14,5s	82569860	8711500825698	8711500825704	49
13258	H1	MasterDuty	24	70	P14,5s	82585830	8711500825858	8711500825865	49
13258	H1	MasterDuty	24	70	P14,5s	82577360	8711500825773	8711500825780	49
13336	H3	MasterLife	24	70	PK22s	77462060	8711500774620	8711500774651	49
13336	H3	MasterDuty BlueVision	24	70	PK22s	77486628	8711500774866	8711500774897	49
13336	H3	MasterDuty BlueVision	24	70	PK22s	77488030	8711500774880	8711500774910	49
13336	H3	MasterDuty	24	70	PK22s	77459030	8711500774590	8711500774613	49
13336	H3	MasterDuty	24	70	PK22s	77460660	8711500774606	8711500774637	49
13342	H4	MasterLife	24	75/70	P43t-38	82571160	8711500825711	8711500825728	49
13342	H4	MasterDuty BlueVision	24	75/70	P43T	53275328	8727900532753	8727900532760	49
13342	H4	MasterDuty BlueVision	24	75/70	P43T	53281430	8727900532814	8727900532821	49
13342	H4	MasterDuty	24	75/70	P43t-38	82587230	8711500825872	8711500825889	49
13342	H4	MasterDuty	24	75/70	P43t-38	82579760	8711500825797	8711500825803	49
13972	H7	MasterLife	24	70	PX26d	82573560	8711500825735	8711500825742	50
13972	H7	MasterDuty BlueVision	24	70	PX26d	53277728	8727900532777	8727900532784	50
13972	H7	MasterDuty BlueVision	24	70	PX26d	53279130	8727900532791	8727900532807	50
13972	H7	MasterDuty	24	70	PX26d	82589630	8711500825896	8711500825902	50
13972	H7	MasterDuty	24	70	PX26d	82581060	8711500825810	8711500825827	50
24362	H11	MasterLife	24	70	PGJ19-2	82575944	8711500825759	8711500825766	50
24362	H11	MasterDuty	24	70	PGJ19-2	82583460	8711500825834	8711500825841	50
13620	R2		24	55/50	P45t-41	40087160	8711500400871	8711500414793	50
13498	P21W	MasterLife	24	21	BA15s	69961673	8727900699616	8727900699630	51
13498	P21W	MasterDuty	24	21	BA15s	69949473	8727900699494	8727900699517	51
13498	P21W		24	21	BA15s	40455830	8711500404558	8711500405449	51
13498	P21W		24	21	BA15s	48415473	8711500484154	8711500484178	51
13499	P21/5W		24	21/5	BAY15d	40456530	8711500404565	8711500405371	51
13499	P21/5W		24	21/5	BAY15d	48424673	8711500484246	8711500484260	51
13496	PY21W	MasterLife	24	21	BAU15s	69964773	8727900699647	8727900699661	51
13401	Stop P22		24	15	BA15s	87826773	8711500878267	8711500878281	51
13402	Stop P22		24	15	BA15d	87836673	8711500878366	8711500878380	51
13445	Stop P25		24	18	BA15s	48443773	8711500484437	8711500484451	51
13821	R5W	MasterLife	24	5	BA15s	69970873	8727900699708	8727900699722	52
13821	R5W	MasterDuty	24	5	BA15s	69955573	8727900699555	8727900699579	52
13821	R5W		24	5	BA15s	40453430	8711500404534	8711500405425	52
13821	R5W		24	5	BA15s	48338673	8711500483386	8711500483409	52
13814	R10W	MasterLife	24	10	BA15s	69967873	8727900699678	8727900699692	52
13814	R10W	MasterDuty	24	10	BA15s	69952473	8727900699524	8727900699548	52

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN3	Page
13814	R10W		24	10	BA15s	40452730	8711500404527	8711559526409	52
13814	R10W		24	10	BA15s	48344773	8711500483447	8711500483461	52
13929	T4W	MasterLife	24	4	BA9s	69976073	8727900699760	8727900699784	53
13929	T4W	MasterDuty	24	4	BA9s	69958673	8727900699586	8727900699609	53
13929	T4W		24	4	BA9s	40454130	8711500404541	8711500405432	53
13929	T4W		24	4	BA9s	21985573	8711500219855	8711500219879	53
13910	T3W		24	3	BA9s	21955873	8711500219558	8711500219572	53
13913	T2W		24	2	BA9s	22003573	8711500220035	8711500220059	53
24930	WBT10 LED		24	1	W2.1x9.5D	38726130	8727900387261	8727900387278	53
24931	WBT10 LED		24	1	W2.1x9.5D	38337930	8727900383379	8727900383386	53
24356	H21W		24	21	BAY9s	87615773	8711500876157	8711500876171	53
13256	W3W		24	3	W2.1x9.5d	48141273	8711500481412	8711500481436	53
13960	W2,5W		24	2.5	W2.1x9.5d	48147473	8711500481474	8711500481498	53
13961	W5W		24	5	W2.1x9.5d	52420730	8711559524207	8711559524214	53
13961	W5W		24	5	W2.1x9.5d	48138273	8711500481382	8711500481405	53
13516	W1,2W		24	1.2	W2x4,6d	48306573	8711500483065	8711500483089	54
13521	WBT5		24	1	W2x4,6d	48324973	8711500483249	8711500483263	54
13974	WBT5		24	2	W2x4,6d	48318873	8711500483188	8711500483201	54
13597	BAX		24	1.2	BAX8,3s/1,35 grey	48384373	8711500483843	8711500483867	54
13598	BAX		24	1.2	BAX8,5d/2 grey	48390473	8711500483904	8711500483928	54
24032	BAX		24	1.2	BX8.5D Brown	48852773	8711500488527	8711500488541	54
24029	BAX		24	1.2	BAX8,5d/2 yellow	48402473	8711500484024	8711500484048	54
24943	Fest 10,5x38 LED		24	1	SV8,5	38746930	8727900387469	8727900387476	54
24944	Fest 10,5x38 LED		24	1	SV8,5	38339330	8727900383393	8727900383409	54
24945	Fest 10,5x43 LED		24	1	SV8,5	38756830	8727900387568	8727900387575	54
24946	Fest 10,5x43 LED		24	1	SV8,5	38418530	8727900384185	8727900384192	54
13818	Fest T6,2x27		24	3	SV6	48464273	8711500484642	8711500484666	55
13848	Fest T6,2x35		24	3	SV6	48470373	8711500484703	8711500484727	55
13854	Fest T10,5x38		24	10	SV8,5	48251873	8711500482518	8711500482532	55
13844	C5W		24	5	SV8,5	40463330	8711500404633	8711500405388	55
13844	C5W		24	5	SV8,5	48197973	8711500481979	8711500481993	55
13864	Fest T10,5x43		24	5	SV8,5	48233473	8711500482334	8711500482358	55
13866	Fest T10,5x43		24	10	SV8,5	48245773	8711500482457	8711500482471	55
13807	Fest T15x43		24	18	SV8,5	48294573	8711500482945	8711500482969	55
13850	Fest T15x43		24	15	SV8,5	48288473	8711500482884	8711500482907	55
55554	KIT H4	Mini-kit MasterDuty	24			69586130	8727900695861	8727900695885	56
55555	KIT H7	Mini-kit MasterDuty	24			69590830	8727900695908	8727900695939	56
55559	KIT H4	Maxi-kit MasterDuty	24			69684494	8727900696844	8727900696851	56
55560	KIT H7	Maxi-kit MasterDuty	24			69686894	8727900696868	8727900696875	56
55561	KIT H1/H7	Maxi-kit MasterDuty	24			69688294	8727900696882	8727900696899	56
12 Volts Two-wheeler lighting									
12342	H4	Premium	12	60/55	P43t-38	49024730	8711500490247	8711500490254	62
12342	H4		12	60/55	P43t-38	39896030	8727900398960	8727900398977	62
12342	H4	X-tremeVision	12	60/55	P43t-38	36229930	8727900362299	8727900362305	62
12342	H4	BlueVision ultra	12	60/55	P43t-38	36231230	8727900362312	8727900362329	62
12972	H7	Premium	12	55	PX26d	49026130	8711500490261	8711500490278	62

Product index

Ordering number	Type	Range	V	W	Base	GOC	EAN1	EAN3	Page
12972	H7		12	55	PX26d	39898430	8727900398984	8727900398991	62
12972	H7	X-tremeVision	12	55	PX26d	35151430	8727900351514	8727900351521	62
12972	H7	BlueVision ultra	12	55	PX26d	35153830	8727900351538	8727900351545	62
12636	HS1		12	35/35	PX43t	53035330	8727900530353	8727900530360	62
12636	HS1		12	35/35	PX43t	39894630	8727900398946	8727900398953	62
12008	S3		12	15	P26s	77381430	8711500773814	8711500773845	63
12008	S3		12	15	P26s	77394460	8711500773944	8711500773951	63
12256	W3W		12	3	W2,1x9,5d	52410830	8711559524108	8711559524122	63
12256	W3W		12	3	W2,1x9,5d	48144373	8711500481443	8711500481467	63
12498	P21W		12	21	BA15s	5549130	8711500055491	8711559520131	63
12498	P21W		12	21	BA15s	49078073	8711500490780	8711500490803	63
12499	P21/5W	ExtraDuty	12	21/5	BAY15d	87900430	8711500879004	8711500879035	63
LED BikeLight									
AR800DB	Dual beam 800 battery-driven with silicon battery pack	ActiveRide	4.8	6	n/a	38736033	8727900387360	8727900387377	69
SRFB80	LED BikeLight 80 battery-driven	SafeRide	4.8	6	n/a	38760533	8727900387605	8727900387612	69
SRFB80	LED BikeLight 80 battery-driven	SafeRide	4.8	6	n/a	38762933	8727900387629	8727900387636	69
SRFB80	LED BikeLight 80 battery-driven	SafeRide	4.8	6	n/a	38764333	8727900387643	8727900387650	69
SRFB40	LED BikeLight 40 battery-driven	SafeRide	5	2.4	n/a	35147733	8727900351477	8727900351484	69
BF60L60	LED BikeLight 60 dynamo-driven	SafeRide	6	2.4	n/a	35053133	8727900350531	8727900350548	69
BF60L60	LED BikeLight 60 dynamo-driven	SafeRide	6	2.4	n/a	35055533	8727900350555	8727900350562	69
SRFD40	LED BikeLight 40 dynamo-driven	SafeRide	6	2.4	n/a	35143933	8727900351439	8727900351446	70
BA003	3D axis handlebar bracket		n/a	n/a	n/a	39962230	8727900399622	8727900399639	70
SRRBLR	LED RearLight LumiRing battery-driven	SafeRide	6	0.6	n/a	35137828	8727900351378	8727900351385	70
SRRBLR	LED RearLight LumiRing battery-driven	SafeRide	6	0.6	n/a	35139228	8727900351392	8727900351408	70
SRRBLG	LED RearLight LightRing battery-driven	SafeRide	6	0.6	n/a	38742131	8727900387421	8727900387438	70
SRRBLG	LED RearLight LightRing battery-driven	SafeRide	6	0.6	n/a	38740731	8727900387407	8727900387414	70
SRDDLRL	LED RearLight LumiRing dynamo-driven	SafeRide	6	0.6	n/a	35141528	8727900351415	8727900351422	70
SRDDLRL	LED RearLight LightRing dynamo-driven	SafeRide	6	0.6	n/a	38744531	8727900387445	8727900387452	70
BA002	Seatpost holder		n/a	n/a	n/a	39914130	8727900399141	8727900399158	70
LED inspection lamps									
LPL02	LED Penlight		EN/DE			38324931	8727900383249	8727900383256	75
LPL02	LED Penlight		EN/FR			38450531	8727900384505	8727900384512	75
LPL03	LED Penlight Premium					38752033	8727900387520	8727900387537	75
LPL04	LED Penlight Premium					38754433	8727900387544	8727900387551	75
22002	LED inspect. Lamp 100-240V		100-240V EU plug		Cable	38331733	8727900383317	8727900383324	75
22002	LED inspect. Lamp 100-240V		100-240V UK plug		Cable	38333133	8727900383331	8727900383348	75
24203	LED inspect. Lamp 24V		24V plug		Cable	38452933	8727900384529	8727900384536	75
22001	LED inspect. Lamp w/dock		220V		Dock station	38326333	8727900383263	8727900383270	75
LPL05	LED Multidirectional lighting system - spare (1 module)		100-240V		Dock station	38766733	8727900387667	8727900387674	75
LPL07	LED Multidirectional lighting system - full (3 modules)		100-240V		Dock station	38770466	8727900387704	8727900387711	75

Contact us

www.philips.com/automotive



© 2012 Koninklijke Philips Electronics N.V.
All rights are reserved.

Philips Automotive reserves the right to make changes in specifications and/or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.

Printed in France. AUGUST 2012. Created by **HSS**-France. Produced by **MCP**-France.